

ст.н.с. II ст. д-р Боряна Николова-Дамянова

### СПИСЪК НА ЗАБЕЛЯЗАНИТЕ ЦИТАТИ

**B.M.Nikolova and G.St.Nikolov, *J.Inorg.Nucl.Chem.*, 29, (1967) 1013.**

1. P.R.Bontchev, Zv.Mladenova, *Microchim.Acta*, **424**, 435 (1968)
2. *Stability Constants, Supplement No1*, Special Publ. 25, The Chemical Soc. London, 1971, p.415.
3. H.M.V.Irving, *Talanta*, **15** (1968) 1267.
4. J.D.Smith, J.R.Pilbow, *Coord. Chem. Rev.*, **13**, (1974), 173
5. *Spectroscopic Properties of Organic and Organometallic Compounds*, vol 1, The Chem. Soc. Spec. Publ., London, 1968, p.156
6. C.F.Edwards, W.P.Griffith, *Polyhedron*, **10** (1991) 61

**G.St.Nikolov and B.M.Nikolova, *J. Inorg. Nucl. Chem.*, 30 (1968) 331**

7. A.Muller, E.Diemann, *Transition Metal Oxyanions*, in International Review of Science, vol.5, Transition Metals, Part I. Eds.. H.I.Emelins, D.W.Sharpe, Butterworths, London, 1974, p.71.
8. *Spectroscopic Properties of Organic and Organometallic Compounds*, vol.2, The Chem. Soc. Spec. Publ., London, 1968, p.156

**Г.Ст.Николов и Б.М.Николова, *Ж. неорг. химии*, 16 (1971) 383.**

9. 1. Н.Б.Яцемирский, *Russ. J. Rh. R.*, **44** (1971) 631

**А.Попов, Н.Янишлиева, Б.Атанасова, Б.Иванова и В.Антонова, *Маслосапунена промишленост*, 3 (1973) 1.**

10. К.Ив.Иванов, *Дисертация*, Пловдив, 1990
11. К.Иванов, Д.Манева, Ст.Иванов, *Научни трудове на ВИХВП*, 36 (1989) 101

**N.Jordanov, B.Nikolova, I.Havezov, *Talanta*, 25 (1978) 257.**

12. R.Bock, *A Handbook of Decomposition Methods in Analytical Chemistry*, International Textbook Comp. Ltd. 1979, p.82, cit. 4.716.
13. Zolotovitskaya ES, Druzenko TV, Potapova VG, et al. Dissolution of refractory oxide materials in condensed phosphoric acid *J ANAL CHEM+* 52: (9) 837-841 SEP 1997
14. VEIGA MP, CUNHA SD, COSTA ACS, ET AL. THE USE OF PHOSPHORIC-ACID IN THE RAPID DECOMPOSITION OF SOLID SAMPLES USING ORDINARY GLASSWARE, *ANAL LETT* 27: (1) 229-244 1994

**B.Nikolova, N.Jordanov, *Talanta*, 29 (1982) 861.**

15. G.Henroion, P.Heininger, *Z. Chem.* **25** (1985) 97.
16. S.Stenstrom, G.Ali, *Hydrometal.*, **14** (1985) 231.
17. . G.Rauret, L.Pineda, R.Casas, R.Compano, R.A.Saucher *Talanta*, **35** (1988) 413.
18. E.Yoshimoto, T.Kitamura, M.Nasegawa, *Bunseki kagaku*, **36** (1987) 490.
19. H. Morikawa, Y.Uwamino, T.Ishizuka, *Analyst*, **114** (1989) 677.
20. C.Sarzamini, E.Mentasti, *Annali di chimica*, **81** (1991) 185
21. A.M.Wilfladt, R.Bye, W.Lundt, DETERMINATION OF CADMIUM IN ORTHOPHOSPHORIC ACID BY GRAPHITE-FURNACE ATOMIC-ABSORPTION SPECTROMETRY *Fresen. J. Anal. Chem.*, **344** (1992) 541.

22. M. Franek, V. Krivan, MULTIELEMENT ANALYSIS OF ALUMINUM-BASED CERAMIC POWDERS BY INSTRUMENTAL AND RADIOCHEMICAL NEUTRON-ACTIVATION ANALYSIS *Analyt. Chim. Acta*, **282** (1993) 99-207
23. Fall I, Diaw M, Ndiaye SA, et al. Extraction of cadmium(II) from acidic medium with macroporous resin impregnated with bis(2-ethylhexyl) ammonium bis(2-ethylhexyl)dithiocarbamate B CHEM SOC ETHIOPIA 13: (2) 105-112 DEC 1999
24. Fujinaga K, Seike Y, Okumura M Solvent extraction of transition metal ions by an in situ extractant formation method. Diethyldithiocarbamate-forming system ANAL SCI 13: (2) 225-230 APR 1997.
25. Stafilov T, Zendelovska D Determination of trace elements in iron minerals by atomic absorption spectrometry TURK J CHEM 26 (2): 271-280 2002
26. Gilmore EA, Evans GJ, Ho MD Radiochemical assessment of the readsorption and redistribution of lead in the SM&T sequential extraction procedure ANAL CHIM ACTA 439 (1): 139-151 JUL 17 2001
27. Shaltout, A. A.<sup>1</sup>, Seoudi, R., El-Ashkar, E. A., Eid, K. A., Developed Method for Spectroscopic Studies of Viscous Samples, ANALYTICAL LETTERS, 41 (17) 3034-3048, 2008.

**B.Nikolova, R.Tarandjiska and D.Chobanov, C. R. Bulg.Acad. Sci., 38 (1985) 1231-1234**

28. J.F.Mallet, E.M. Gaydou, A.Archavlis, *J. Am. Oil Chem. Soc.*, **67**, (1990) 607
29. F.D.Gunstone, *Chem. Phys. Lipids*, **58** (1991) 159.
30. D.W.Griffits, G.W.Robertson, S.Milam, A.C.Holous, *Phytochemical Analysis*, **31** (1992) 250-253.
31. Birgit Reiter, Marion Lechner\*, and Eberhard Lorbeer, The fatty acid profiles – including petroselinic and cis-vaccenic acid – of different Umbelliferae seed oils *Fett/Lipid* **100** (1998) 498–502
32. Wolff RL Comments on the methodology for the separation and quantitation of cis-6 (petroselinic) and cis-9 (oleic) 18 : 1 acids J AM OIL CHEM SOC 75: (7) 893-894 JUL 1998

**B.Nikolova, B.Amidzhin, D.Chobanov, Third Intern. Conf. Chem. Biotecnolog.Natur. Prod., vol. 5, 1985, 26**

33. N.Yanishlieva, K.Stefanov, E.Marinova. K.Seizova, *Bulg. Acad. Sci., Comm. Dep. Chem.*, **21** (1988) 112.

**B.Nikolova-Damyanova and B.Amidzhin, SEPARATION OF TRIGLYCERIDE GROUPS BY REVERSED PHASE THIN-LAYER CHROMATOGRAPHY ON SILANIZED KIESELGUHR, J.Chromatogr., 446 (1988) 283-291**

34. W.W.Christie, *Lipid Technology*, **2** (1990) 22.
35. J.Sherma, Planar chromatography, Review, *Analyt.Chem.*, **62** (1990) 371R.
36. B.Fried, J.Sherma, *J. Planar Chromatogr.* **3** (1990) 290.
37. B.Fried, *J. Chromatogr. Sci.*, **55** (1991) 623.
38. C.Masterson, B.Fried, J.Sherma, *J.Liquid Chromatogr.*, **15** (1992) 2967
39. R.G. Ackman in *Application of Thin-Layer chromatography to Lipid separation: Neutral Lipids*, chapter 3 in Analysis of Fats, Oils and Lipoproteins (E.G.Perkins editor), American Oil chemical Society, Champaign, Illinois, 1991
40. A.Kuksis, in *Lipids*, chapter 15 in Chromatography 5th Edition, part B: applications, Journal of Chromatography Library, vol. 51B, Elsevier, Amsterdam, 1992

41. R.J.Henderson and D.R.Tocher, Thin-Layer Chromatography, chapter 3 in *Lipid Analysis, A practical Approach*, (R.J.Hamilton and S.Hamilton, Editors), Oxford University Press, Oxford,1992.
42. B.Fried, J.Sherma, Lipids, in *Thin Layer Chromatography* (J.Cazes, Ed.), Marcel Dekker, New York, 1994, pp. 215-285.
43. B.Fried, Lipids, in *Handbook of Thin Layer Chromatography*, (J.Sherma and B.Fried, Ed.), Marcel Dekker, New York, 1991, pp. 593-625.
44. V.Ruiz-Gutierrez, L.J.R.Barron, Methods for the analysis of triacylglycerols, A Review, *J. Chromatogr. B*, **671** (1995) 133-168.
45. K.Lekova, *Anal. Lab.*, **2** (1994) 118-136
46. G.R.Asbury, Kh.Al Saad, W.F.Siems, R.Hannan, H.H.Hill, *J. Am. Soc. Mass Spectrom.*, **10** (1999) 983-991
47. Andrikopoulos N.K., Triglyceride species composition of common edible vegetable oils and methods for their identification and quantification, *Food Review Int.*, **18** (1) 71-102 (2002).
48. Andrikopoulos N.K. Chromatographic and spectroscopic methods in the analysis of triacylglycerol species and regiospecific isomers of oils and fats, critical reviews in food Science and Nutrition, **42** (5) 473-505 (2002).
49. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, **106** (2004) 621-648.
50. B.Fried, Lipids, in *Handbook of Thin Layer Chromatography*, J.Sherma and B.Fried, eds, Marcel Dekker, 2003. pp 635-670.

**B.Amidzhin, B.Nikolova-Damyanova, J.Chromatogr., 446 (1988) 259.**

51. W.W.Christie, *Lipid Technology*, **2** (1990) 22.
52. J.Sherma, Planar chromatography, Review, *Anal. Chem.*, **62** (1990) 371R.
53. C.Masterson, B.Fried, J.Sherma, *J. Liquid Chromatogr.*, **15** (1992) 2967.
54. R.G. Ackman in *Application of Thin-Layer chromatography to Lipid separation: Neutral Lipids*, Chapter 3 in *Analysis of Fats, Oils and Lipoproteins* (E.G.Perkins editor), American Oil Chemical Society, Champaign, Illinois, 1991.
55. V.Ruiz-Gutierrez, L.J.R.Barron, Methods for the analysis of triacylglycerols, A Review, *J. Chromatogr B*, **671** (1995) 133-168.
56. K.Lekova, *Anal. Lab.*, **2** (1994) 118-136.
57. Myher-JJ Kuksis-A., General Strategies in Chromatographic Analysis of Lipids, *JOURNAL OF CHROMATOGRAPHY B-BIOMEDICAL APPLICATIONS*, **671**, (1-2) (1995) 3-33.
58. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, **106** (2004) 621-648.

**G.Eneva, B.Nikolova-Damyanova, St.Spassov, M.Haimova, J.Planar.Chromatogr., 3 (1990) 232.**

59. *RECORDERS ABSTRACTS* - monthly review journal, Belgium, 1990.
60. J.Sherma, *Analyt. Chem.*, **64** (1992) 134R.
61. P.K.Gulpin, *Anal. Chem.* **65** (1993) 117R.
62. K.Lekova, *Anal. Lab.*, **2** (1994) 118-136
63. I.Chorna, Antibiotics, in in *Handbook of Thin Layer Chromatography*, J.Sherma and Fried, eds, Marcel Dekker, 2003 pp. 417-444.

**B.Nikolova-Damyanova, W.W.Christie, B.Herslof, J. Amer. Oil Chem. Soc., 67 (1990) 503.**

64. P.Laakso, *Dissertation*, University of Turku, Finland, 1992.
65. A.Lardans, A.Tremolie, *Phytochemistry*, **30** (1991) 3955.
66. A.Lardans, A.Tremolie, *Phytochemistry*, **31** (1992) 121.
67. N.U.Olson, *Doctoral Thesis*, University of Stockholm, Sweden, 1991.
68. R.E.Franz, M.Seddigh, G.D.Jolliff, E.L.Alba, *Crop Sci.*, **67** (1992) 1284
69. F.D.Gunstone, *Chem. Phys. Lipids*, **58** (1991) 159
70. P. H. Laakso, K.V.V.Nurmela and D.R.Homer, *J. Agric. Food Chem.*, **40** (1992) 2472-2482
71. L.G.Blomberg, M.Demirbucker, P.E.Anderson, *J. Am. Oil Chem. Soc.*, **70** (1993) 939-946.
72. A.Kempinen and P.Kalo, *J. Am. Oil Chem. Soc.*, **70** (1993) 1203-1207.
73. P. Laakso and H.Kalio, *J. Am. Oil Chem. Soc.*, **70** (1993) 1161-1171
74. G.D.Jollif, J.L. Lequere, D.Barron, *Agron. J.* **85** (1993) 188-193.
75. O.S.Norberg, T.E.Fiez, G.D.Jolliff, M.Seddigh, J.M.Crane, *Agron. J.*, **85** (1993) 183-187.
76. R.Sacchi, J.Medina, S.P.Augburg, J.Guidichia, L.Paolillo, F.Addio, *J. Agric. Food*, **41** (1993) 1247-1253.
77. R.E.Franz, M.Seddigh, G.D.Jolliff, E.L.Alba, *Crop Science*, **32** (1992) 1284-1286.
78. G.D.Jollif, M.Seddigh, O.S.Norberg, T.E.Fiez., *Agronomy J.*, **85** (1993) 188-193.
79. S.Antonopolou, N.K.Andrikopoulus, C.A.Demopoulos, *J. Liq. Chromatogr.*, **18** (1995) 633-648.
80. R.O.Adlof, *J.High Res. Chromatogr.*, **18** (1995) 105-107.
81. L.G.Blomberg, M.Demirbucker, Development in the analysis of lipids, in *Development in the analysis of lipids* (J.H.P.Tyaman and M.H.Gordon, Ed.) The Royal Society of Chemistry, Cambridge 1994, pp. 42-48.
82. V.Ruiz-Gutierrez, L.J.R.Barron, Review, *J. Chromatogr. B*, **671** (1995) 133-168.
83. P.Laakso, *Food Review. Int.*, **12** (1996), 199-250.
84. K.Lekova, *Anal. Lab.*, **2** (1994) 118-136
85. Ruiz Sala-P Hierro-MTG Martinezcastro-I Santamaria-G., Triglyceride Composition of Ewe, Cow, and Goat Milk-Fat, *JOURNAL OF THE AMERICAN OIL CHEMISTS SOCIETY*, **73**, (3), (1996) 283-293.
86. Hayes-DG Kleiman-R, Supercritical-Fluid Chromatographic Analysis of New Crop Seed Oils and Their Reactions, *JOURNAL OF THE AMERICAN OIL CHEMISTS SOCIETY*, **73**, (12) (1996) 1691-1697.
87. Spanos-GA Schwartz-SJ Vanbreemen-RB Huang-CH. High-Performance Liquid-Chromatography with Light-Scattering Detection and Desorption Chemical-Ionization Tandem Mass-Spectrometry of Milk-Fat Triacylglycerols, *LIPIDS*, **30**, (1) (1995) 85-90.
88. W.M.N.Ratnayake, Analysis of trans fatty acids in trans fatty acids in human nutrition, J. L.Sebedio and W.W.Christie, eds., The Oily Press, Dundee, 1998, pp.115-161.
89. Spitzer-V, Screening Analysis of Unknown Seed Oils, *FETT-LIPID*, **101** (1), (1999) 2-19
90. R.O.Adlof, A.Menzel and V.Dorovska-Taran, *J. Chromatogr. A*, **953** (2002) 293-297.
91. R.O.Adlof, Application of Silver-Ion Chromatography to the Separation of Conjugated Linoleic Acid Isomers, in *Advances in Conjugated Linoleic Acid Research, Vol.2*, Eds. J.-L.Sebedio, W.W.Christie and R.Adlof, AOCS Press, Champaign, IL, 2003, pp. 37-55.
92. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, **106** (2004) 621-648.

93. Steiner, J.J., Mueller-Warrant, G.W., Griffith, S.M., Banowetz, G.M., Whittaker, G.W., Conservation practices in western Oregon perennial grass seed systems: II. Meadowfoam rotation crop management, *Agronomy Journal*, Volume 98, Issue 6, November 2006, Pages 1501-1509
94. Segall, S.D., Artz, W.E., Raslan, D.S., Jham, G.N., Takahashi, J.A. Triacylglycerol composition of coffee beans (*Coffea canephora* P.) by reversed phase high-performance liquid chromatography and positive electrospray tandem mass spectroscopy, *Journal of Agricultural and Food Chemistry* 2005 53 (25), pp. 9650-9655.
95. Sayanova, O., Haslam, R., Caleron, M.V., Napier, J.A., Cloning and characterization of unusual fatty acid desaturases from *Anemone leveillei*: Identification of an acyl-coenzyme A C<sub>20</sub> Δ<sup>5</sup>-desaturase responsible for the synthesis of sciadonic acid, *Plant Physiology*, volume 144, Issue 1, May 2007, Pages 455-467.
96. Van der Klift, E.J.C., Vivo-Truyols, G., Claassen, F.W., van Holthoon, F.L., van Beek, T.A., Comprehensive two-dimensional liquid chromatography with ultraviolet, evaporative light scattering and mass spectrometric detection of triacylglycerols in corn oil, *Journal of Chromatography A* 1178/1-2 (2008), 43-55.
97. Puttick D, Dauk M, Lozinsky S, Smith MA, Overexpression of a FAD3 Desaturase Increases Synthesis of a Polymethylene-Interrupted Dienoic Fatty Acid in Seeds of *Arabidopsis thaliana* L. *LIPIDS* 44 8 753-757, 2009.

**D.Chobanov, B.Amidzhin, B.Nikolova-Damyanova, Riv. Ital. Sostanze Grasse, 68 (1991) 357-362**

98. W.W.Christie, in *Advances in Lipid Methodology* - Two, The Oily Press, Dundee, 1993.
99. K.Lekova, *Anal. Lab.*, 2 (1994) 118-136.
100. Gonzalezcastro-MJ Lopezhernandez-J Simallozano-J. Orunaconcha-MJ Vazquezblanco-ME., Separation of Neutral Lipid Classes in Green Beans by High-Performance Liquid-Chromatography, *JOURNAL OF CHROMATOGRAPHIC SCIENCE*, , 34 (1996) 199-201.
101. R.Tarandjiiska, I.Marekov, Precise classification of virgine olive oils with various linoleic acid content based on triacylglycerol analysis, *Anal. Chim. Acta*, 364 (1998) 83-91.
102. Andrikopoulos N.K., Triglyceride species composition of common edible vegetable oils and methods for their identification and quantification *Food Review Int.*, 18 (1) 71-102 (2002).
103. Andrikopoulos N.K. Chromatographic and spectroscopic methods in the analysis of triacylglycerol species and regiospecific isomers of oils and fats, critical reviews in food. *Science and Nutrition*, 42 (5) 473-505 (2002).
104. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, 106 (2004) 621-648.
105. Cunha S.C., S. Casal, MB.P.P. Oliveira, Triacylglycerol profile by HPLC/ELSD as discriminant parameter pf varietal olive oil from Portugal, *Ital. J. Food Sci*, 17, 447-454 (2005).

**W.W.Christie, B.Nikolova-Damyanova, P.Laakso and B. Herslof, J. Am. Oil Chem. Soc., 68 (1991) 695**

106. Y. Ando and T.Takagi, *J. Am. Oil Chem. Soc.*, 70 (1993) 1047-1049.
107. U.Bracco, *Am. J. Clin. Nutr.*, 60 (1994) 1002S-1009S.
108. . M.Berquist, PhD Thesis, Stockholm, 1995.

109. P.Damiani, F.Santinelli, M.S.Simonetti, M.Castelani, M.Rosi, *J. Am. Oil Chem. Soc.*, **71** (1994) 1157-1162.
110. V.Ruiz-Gutierrez, L.J.R.Barron, Methods for the analysis of triacylglycerols, A Review, *J. Chromatogr. B*, **671** (1995) 133-168.
111. P.R.Redden, Xiaorong Lin, J.Fahey, D.F.Horrobin, *J. Chromatogr. A*, 704 (1995) 99-111.
112. P.R.Redden, Xiaorong Lin, D.F.Horrobin, *Chem. Phys. Lipids*, 79 (1996) 9-19.
113. F.Gunstone, *Fatty Acids and Lipid Chemistry*, Blackie Academic&Professional, London, 1996, p. 126.
114. T.Suzuki, T.Ota, T.Takagi, *J. Chromatogr. Sci.*, **31** (1993) 461-464.
115. A.Kuksis, in *Advances of Lipid Methodology - Three* (W.W.Christie, Ed.), The Oily Press, 1996, 1-36.
116. Mottram-HR, Evershed-RP., Structure-Analysis of Triacylglycerol Positional Isomers Using Atmospheric-Pressure Chemical-Ionization Mass-Spectrometry, *TETRAHEDRON LETTERS*, **37**, (1996) 8593-8596.
117. Nelson-SE, Rogers-RR, Frantz-JA, Ziegler-EE., Palm Olein in Infant Formula - Absorption of Fat and Minerals by Normal Infants, *AMERICAN JOURNAL OF CLINICAL NUTRITION*, 1996, Vol 64, Iss 3, pp 291-296.
118. Sonnet-PE Oliver-JE Waters-RM King-G Panicker-S., A Potential Chiral Derivatizing Agent for 1,2-Diglycerides, *CHEMISTRY AND PHYSICS OF LIPIDS*, 1995, Vol 78, Iss 2, pp 203-208.
119. Vlahov-G Angelo-CS., The Structure of Triglycerides of Monovarietal Olive Oils - A C-13-NMR Comparative-Study, *FETT-LIPID*, 1996, Vol 98, Iss 6, pp 203-205.
120. Foglia-TA Conkerton-EJ Sonnet-PE., Regioselective Analysis of Triacylglycerols by Lipase Hydrolysis, *JOURNAL OF THE AMERICAN OIL CHEMISTS SOCIETY*, 1995, Vol 72, Iss 11, pp 1275-1279.
121. Mottram H.R., Woodbury S.E., Evershed R.P., Identification of Triacylglycerol Positional Isomers in Vegetable Oils by High Performance Liquid Chromatography/Atmospheric Pressure chemical Ionization Mass Spectrometry, *Rapid Communications in Mass Spectrometry*, 11 (1997) 1240-1252.
122. Lipp M., E.Anklam, Review of cocoa butter and alternative fats for use in chocolate- Part A. Compositional data. *Food Chemistry*, 62 (1998) 73-79.
123. Lipp M., E.Anklam, Review of cocoa butter and alternative fats for use in chocolate- Part B. Analytical approaches for identification and determination *Food Chemistry*, 62 (1998) 99-108.
124. Aitzetmuller K., Recent development in the analysis of food lipids and other lipids, *OCL-Oleagineux, corps Gras, Lipides*, 4, 8-10 (1997).
125. Arcos J.A., Garcia H.S., Hill Jr. C.G., Regioselective analysis of the fatty acid composition of triacylglycerols with conventional high-performance liquid chromatography, *JAACS*, 77 (2000) 507-512.
126. Ruiz-Gutierrez V, Perez-Camino MC Update on solid-phase extraction for the analysis of lipid classes and related compounds *J CHROMATOGR A* 885: (1-2) 321-341 JUL 14 2000
127. Arcos JA, Garcia HS, Hill CG Regioselective analysis of the fatty acid composition of triacylglycerols with conventional high-performance liquid chromatography *J AM OIL CHEM SOC* 77: (5) 507-512 MAY 2000
128. Favretto LG, Campisi B, Favretto L, et al. Cross-validation in linear discriminant analysis of triacylglycerol structural data from Istrian olive oils *J AOAC INT* 82: (6) 1489-1494 NOV-DEC 1999

129. de la Fuente MA, Juarez M Application of chromatographic techniques to the study of triglycerides and sterols of milk fat *FOOD SCI TECHNOL INT* 5: (2) 103-119 APR 1999
130. Chandler IC, Quinlan PT, McNeill GP Lipase-catalyzed synthesis of chiral triglycerides *J AM OIL CHEM SOC* 75: (11) 1513-1518 NOV 1998
131. Nelson SE, Frantz JA, Ziegler EE Absorption of fat and calcium by infants fed a milk-based formula containing palm olein *J AM COLL NUTR* 17: (4) 327-332 AUG 1998
132. Reske J, Siebrecht J, Hazebroek J Triacylglycerol composition and structure in genetically modified sunflower and soybean oils *J AM OIL CHEM SOC* 74: (8) 989-998 AUG 1997
133. Vlahov G., Regiospecific analysis of natural mixtures of triglycerides using quantitative C-13 nuclear magnetic resonance of acyl chain carbonyl carbons *MAGN RESON CHEM* 36: (5) 359-362 MAY 1998.
134. Iwasaki Y., Yasui M., Ishikawa T., Irimescu R., Hata K., Yamane T., Optical resolution of asymmetric triacylglycerols by chiral-phase high-performance liquid chromatography, *J. Chromatogr. A*, 905 (2001) 111-118
135. Kamm W, Dionisi F, Hischenhuber C, et al., Authenticity assessment of fats and oils, *Food Rev. Int.* 17(3) 249-290 (2001).
136. Mottram HR, Crossman, ZM, Evershed RP-HPLC, Regiospecific characterization of the triacylglycerols in animal fats using HPLCaphy-atmospheric pressure chemical ionization mass spectrometry, *Analyst* 126(7) 1018-1024 (2001).
137. Dourtoglou T, Stefanou E, Lalas, S, Dourtoglou V. and Poulos C., Quick regiospecific analysis of fatty acids in triacylglycerols with GC using 1,3-specific lipase in butanol, *Analyst* 126(7) 1032-1036 (2001)
138. Kurvinen, J.-P., Rua, P., Sjövall, O., Kallio, H. Software (MSPECTRA) for automatic interpretation of triacylglycerol molecular mass distribution spectra and collision induced dissociation product ion spectra obtained by ammonia negative ion chemical ionization mass spectrometry, *Rapid Commun. Mass Spectrom.*, 15(13)1084-91(2001).
139. Hazebroek JP, Analysis of genetically modified oils *Prog. Lipid Res.* (2000), 39(6), 477-506.
140. Sonet P.E., Dudley R.L., Stereospecific synthesis of selected triglycerides: comments on acyl migration and analysis of configuration, *Chemistry and Physics of Lipids*, 72 (1994) 185-191.
141. Kosugi, Y., Oshima, A., Koike, S., Fukatsu, M., Minami, K., Miyake, Y., Masui, K., Use of *Rhizopus delemar* lipase as compared with other lipases for determination of Sn-2 fatty acids in triacylglycerol, *JOURNAL OF THE AMERICAN OIL CHEMISTS SOCIETY*, 2004, 81, 235-239.
142. Mu HL, Hoy CE, The digestion of dietary triacylglycerols, *PROG LIPID RES* 43 (2): 105-133 MAR 2004
143. Koo WWK, Hammami M, Margeson DP, et al. Reduced bone mineralization in infants fed palm olein-containing formula: A randomized, double-blinded, prospective trial *PEDIATRICS* 111 (5): 1017-1023 MAY 1 2003
144. Ostrom KM, Borschel MW, Westcott JE, et al. Lower calcium absorption in infants fed casein hydrolysate- and soy protein-based infant formulas containing palm olein versus formulas without palm olein *J AM COLL NUTR* 21 (6): 564-569 DEC 2002
145. Agren JJ, Ravandi A, Kuksis A, Steiner G., Structural and compositional changes in very low density lipoprotein triacylglycerols during basal lipolysis *EUR J BIOCHEM* 269 (24): 6223-6232 (2002).

146. Agren JJ, Kuksis A., Analysis of diastereomeric DAG naphthylethylurethanes by normal-phase HPLC with on-line electrospray MS, *LIPIDS* 37 (6): 613-619 (2002).
147. J.-T.Lin and Th. A. McKeon, Separation of the intact molecular species of acylglycerols by HPLC, in HPLC of Acyl Lipids, J.-T.Lin and Th. A. McKeon, eds., HNB Publishing, 2005, pp. 199-220.
148. Guy, P.A. Fenaille, F., Contribution of mass spectrometry to assess quality of milk-based products, *Mass Spectrometry Reviews*, Volume 25, Issue 2, March 2006, Pages 290-326
149. Schreiner, M., Moreira, R.G. , Hulan, H.W., Positional distribution of fatty acids in egg yolk lipids, *Journal of Food Lipids*, Volume 13, Issue 1, March 2006, Pages 36-56
150. P.Damiani, L.Cossignani, M.S.Simonetti, F.Biasi, T.Petrosino and A.Neri, Identification of cocoa butter equivalents added to cocoa butter. III. Stereospecific analysis of triacylglycerol fraction and some its subfraction *European Food Research and Technology*, Volume 223, Number 5, Pages: 655-661 2006.
151. 46. S.Z.Erhan, A.Adhvaryu, Non-food lipids, in Plant Lipids, D.j.Murphy, ed., Blackwell, New York, 2005, pp. 110-124.
152. Mezouari, S., Echner, K., Effect of stirring on the thermooxidative stability of refined rice bran oil, *European Journal of Lipid Science and Technology*, Volume 108, Issue 10, 2006, Pages 848-857
153. F.D. Gunstone, Major Sources of Lipids, in Lipid Technologies and Applications, F.D.Gunstone and F.B.Padley, eds, Marcel Dekker, 1997, pp. 19-50.
154. T.R.Larson, L.A. Graham, Targeted profiling of fatty acids and related metabolites, in Plant Metabolomics, K.Saito and R.A.Dixon, L.Willmitzer, eds., Springer, Berlin, 2006, pp. 211-228.
155. Vichi, S., Pizzale, L., Conte, L.S., Stereospecific distribution of fatty acids in triacylglycerols of olive oils, *European Journal of Lipid Science and Technology*, Volume 109, Issue 1, 2007, Pages 72-78.
156. Petrosino, Teresa, Riccieri, Roberto, Biasi, Francesca, Brutti, Monia, D'arco, Gilda, Bosi, Ancilla, Maurelli, Silvia, Cossignani, Lina, Simonetti, Maria Stella, Damiani, Pietro, Original normal-phase high-performance liquid chromatographic separation of monoacylglycerol classes from extra virgin olive oil Triacylglycerols for their stereospecific analysis, *JOURNAL OF AOAC INTERNATIONAL*: 90 (6) 1647-1654 2007.
157. Biasi, Francesca, Cossignani, Lina, Bosi, Ancilla, Maurelli, Silvia, D'Arco, Gilda, Fiorini, Dennis, Simonetti, Maria Stella, Damiani, Pietro, Synthesis and structural analysis of structured triacylglycerols with CLA isomers in the sn-2-position, *JOURNAL OF THE AMERICAN OIL CHEMISTS SOCIETY*, 85, 613-619, 2008.
158. Vlahov, G., <sup>13</sup>C NMR spectroscopy to determine structure and composition of waxes and glycerides, *Current Pharmaceutical Analysis*, 4 (3) (2008) pp. 126-136.
159. Mezouari, S., Echner, K., Trans fatty acid content and positional distribution in refined and heated rice bran oil, *European Journal of Lipid Science and Technology*, 110 (11) 2008, pp. 1058-1061.
160. Snyder CL, Yurchenko OP, Siloto RMP, Chen X, Liu Q, Mietkiewska E, Weselake RJ, Acyltransferase action in the modification of seed oil biosynthesis, *NEW BIOTECHNOLOGY* 26 ,1-2, Sp. Iss. SI, pp11-16. 2009.

**B.Nikolova-Damyanova, B.Amidzhin, J. Planar Chromatogr., 4 (1991) 397.**

161. *RECORDERS ABSTRACTS* 63 - monthly review journal, Belgium 1992.
162. C.Masterson, B.Fried, J.Sherma, *J. Liquid Chromatogr.*, 15 (1992) 2967.

163. W.W.Christie, in *Advances in Lipid Methodology - Two*, The Oily Press, Dundee, 1993
164. K.Horutz, L.R.Layman, B.Fried, J.Sherma, *J. Liq. Chromatogr.*, **16** (1993) 4009-4017.
165. B.Fried, J.Sherma, Lipids, in *Thin Layer Chromatography* (ed. J.Cazes) Marcel Dekker Inc., New York, 1994, pp.245-285.
166. K.Lekova, *Anal. Lab.*, **2** (1994) 118-136.
167. R.Tarandjiiska, I.Marekov, Precise classification of virgine olive oils with various linoleic acid content based on triacylglycerol analysis, *Anal. Chim. Acta*, **364** (1998) 83-91.
168. I.Marekov, R. Tarandjiiska, S.Panayotova, N.Nikolova, Evaluation of argentation TLC-densitometry for the determination of *trans* fatty acids in butterfat, *J. Planar Chromatography-Modern TLC*, **14** (2001) 384-390.
169. Mohammad, A., Zehra, A., Separation of Coexisting Tryptophan, Alanine, and Phenylalanine or Tyrosine by Silver Ion High-Performance Thin-Layer Chromatography, 8th International Symposium on Chromatography of Natural Products, Lublin, POLAND, Research Inst Medicinal Plant

**B.Nikolova-Damyanova and B.Amidzhin, *Bulg. Chem. Commun.*, 25 (1992) 545-549.**

170. Lipp M., E.Anklam, Review of cocoa butter and alternative fats for use in chocolate-Part A. Compositional data. *Food Chemistry*, **62** (1988) 73-79.
171. Lipp M., E.Anklam, Review of cocoa butter and alternative fats for use in chocolate-Part B. Analytical approaches for identification and determination *Food Chemistry*, **62** (1988) 99-108.

**B.Nikolova-Damyanova, M.N.Tam, B.Pyuskyulev, *J. Planar Chromatogr.*, 5 (1992) 271.**

172. RECORDER ABSTRACTS-71, 1992, Belgium.
173. K.Lekova, *Anal. Lab.*, **2** (1994) 118-136.
174. Gilpin-RK Pachla-LA., Pharmaceuticals and Related Drugs, *ANALYTICAL CHEMISTRY*, 1995, Vol 67, Iss 12, pp R295-R313
175. Laetitia Barthe, Jean-Paul Ribet, Martine Pélissou, Marie-José Degude, Jacques Fahy and Alain Duflos Optimization of the separation of *Vinca* alkaloids by nonaqueous capillary electrophoresis Optimization of the separation of *Vinca* alkaloids by nonaqueous capillary electrophoresis, *Journal of Chromatography A*, **968**, (1-2) (2002) 241-250.
176. A. Paci, L. Mercier and P. Bourget, Identification and quantitation of antineoplastic compounds in chemotherapeutic infusion bags by use of HPTLC: application to the vinca-alkaloids, *Journal of Pharmaceutical and Biomedical Analysis* Volume 30, Issue 5, 1 January 2003, Pages 1603-1610

**D.Chobanov, R.Tarandjiiska, B.Nikolova-Damyanova, *J. Planar Chromatogr. - Modern TLC*, 5 (1992) 157-163**

177. W.W.Christie, in *Advances in Lipid Methodology - Two*, The Oily Press, Dundee, 1993.
178. B.Fried, J.Sherma, Lipids, in *Thin Layer Chromatography* (ed. J.Cazes) Marcel Dekker Inc., New York, 1994, pp.245-285.
179. K.Lekova, *Anal. Lab.*, **2** (1994) 118-136.
180. Adlof R., Lamm T., Fractionation of cis and trans-oleic, linoleic and conjugated linolenic fatty acid methyl esters by Ag-HPLC, *J. Chromatogr. A*, **799** (1988) 329-332.

181. Flieger J. Szumilo H., Optimizing Chromatographic conditions for separation of methyl esters by argentation thin-layer chromatography, *J. Planar Chromatogr.*, 13 (2000) 426-431
182. Rezanka, T.V., Dembitsky, V.M., Tetratriacontanoic acid, first natural acid with nine double bonds isolated from a crustacean *Bathynella natans*, *Tetrahedron*, 60 (19), 4261-4264 (2004).
183. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, 106 (2004) 621-648.
184. F.M.Rabel, Sorbents and precoated layers in thin layer chromatography, in *Hanbook of Thin Layer Chromatography*, J.Sherma and B.Fried, eds, Marcel Dekker, 2003. pp. 99-134.
185. J.Sherma, Basic TLC techniques, materials, and apparatus, in *Hanbook of Thin Layer Chromatography*, J.Sherma and B.Fried, eds, Marcel Dekker, 2003, 1-46.
186. Mohammad, A., Zehra, A., Separation of Coexisting Tryptophan, Alanine, and Phenylalanine or Tyrosine by Silver Ion High-Performance Thin-Layer Chromatography, 8th International Symposium on Chromatography of Natural Products, Lublin, POLAND, Research Inst Medicinal Plants, 299-304.

**B.Nikolova-Damyanova, B.G.Herslof and W.W.Christie, *J. Chromatogr.*, 609 (1992) 133.**

187. L.G.Blomberg, M.Demirbuker, P.E.Anderson, *J. Am. Oil Chem. Soc.*, 70 (1993) 939-946.
188. M.Demirbuker, Analysis of Lipids by Supercritical Fluid Chromatography *Doctoral Thesis*, Department of Analytical Chemistry, Stockholm University, 1992.
189. R.A.Adlof, *J.Chromatogr.A*, 659 (1994) 95-99.
190. R.O.Adlof, E.A.Emken, *J. Chromatogr. A*, 685 (1994) 178-181.
191. R.O.Adlof, *J. High Res. Chromatogr.*, 18 (1995) 105-107.
192. R.O.Adlof, L.C.Copes. E.A.Emken, *J. Am Oil Chem. Soc.*, 72 (1995) 571-574.
193. S.K.C.Chang, E.Holm, J.Schwarz, P.Rayas-Duarte, *Anal. Chem.*, 67 (1995) 127R-153R.
194. K.Lekova, *Anal. Lab.*, 2 (1994) 118-136.
195. P.Laakso and P.Voutilainen, *Lipids*, 31 (1996) 1311-1322.
196. R.O.Adlof, *J. Chromatogr. A*, 764 (1997) 337-340.
197. R.O.Adlof, in *New Techniques and Applications in Lipid Analysis* (R.E.McDonald and M.M.Mossoba, editors) AOCS Press, Campaign, Illinois, 1997, pp. 256-265.
198. M.S.F.Lie Ken Jie, M.K.Pasha, M.S.K.Sayed-Rahmatullah, Fatty acids, fatty acid analogues and their derivatives, Review in, *Natural Product Reports* 14 (1997) pp. 163-189.
199. Pfalzgraf-A Steinhart-H., Origin of Trans-Fatty-Acids and Their Analysis in Food, Tissue, and Blood-Plasma, *FETT-LIPID*, 1996, Vol 98, Iss 2, pp 81-82.
200. Okamoto-M Kakamu-H Nobuhara-K Ishii-D. Effect of Silver-Modified Silica on Retention and Selectivity in Normal-Phase Liquid-Chromatography, *JOURNAL OF CHROMATOGRAPHY A*, 1996, Vol 722, Iss 1-2, pp 81-85.
201. Seppanenlaakso-T Laakso-I Backlund-P Vanhanen-H., Viikari-J., Elaidic and Trans-Vaccenic Acids in Plasma Phospholipids as Indicators of Dietary-Intake of 18/1 Trans-Fatty-Acids, *JOURNAL OF CHROMATOGRAPHY B*, 1996, Vol 687, Iss 2, pp 371-378
202. K.M.Phillips, R.D.Lugogo, R.F.Harris, M.-T.Tarrago-Trani, J.A.Bailey and K.K.Stewart, Direct determination of trans-octadecenoic acid in diet composites using a combination of silver ion high performance liquid chromatography and capillary gas chromatography, *J. Food Lipids*, 4 (1995) 173-188,

203. P.Juaneda, Utilization of silver ion high performance liquid chromatography for separation of the geometrical isomers of  $\alpha$ -linolenic acid, in *New Trend of Lipid and Lipoprotein Analysis*, J.L.Sebedio and E.G.Perkins, eds., AOCS Press, Champaign, 1995, pp. 75-80.
204. J.Fritsche and H.Steinhart, Analysis of trans fatty acids, in *New Techniques and Applications in Lipid Analysis*, R.E.Mcdonald and M.M.Mossoba, eds., JAOCS Press, Champaign, Illinois, 1997, pp. 234-255
205. D.Firestone and M.M.Mossoba, Newer methods for fat analysis in food, in *New Techniques and Applications in Lipid Analysis*, R.E.Mcdonald and M.M.Mossoba, eds., JAOCS Press, Champaign, Illinois, 1997, pp. 1-33
206. W.M.N.Ratnayake, Analysis of trans fatty acids in trans fatty acids in human nutrition, J. L.Sebedio and W.W.Christie, eds., The Oily Press, Dundee, 1998, pp.115-161
207. Tanaka-T Shibata-K Hino-H Murashita-T Kayama-M Satouchi-K', Purification and Gas-Chromatographic Mass-Spectrometric Characterization of Non-Methylene Interrupted Fatty-Acid Incorporated in Rat-Liver, *JOURNAL OF CHROMATOGRAPHY B*, 1997, **700**, Iss 1-2, pp 1-8
208. Wolff-RL, Comments on the Methodology for the Separation and Quantitation of Cis-6 (Petroselinic) and Cis-9 (Oleic) 18/1 Acids, *JOURNAL OF THE AMERICAN OIL CHEMISTS SOCIETY*, 1998, **75**, Iss 7, 893-894.
209. Fritsche-J Steinhart-HPLC, Analysis, Occurrence, and Physiological-Properties of Trans-Fatty-Acids (Tfa) with Particular Emphasis on Conjugated Linoleic-Acid Isomers (CLA) - A Review, *FETT-LIPID* 1998, **100**, Iss 6, 190-210.
210. N.Sehat, R.Rickert, M.M.Mossoba, J.K.G.Kramer, M.P.Yurawecz, J.A.G.Roach, R.O.Adlof, K.M.Morehouse, J.Fritsche, K.D.Eulutz, H.Steinhart, Y.Ku, Improved separation of conjugated fatty acid methyl esters by silver ion high-performance liquid chromatography, *Lipids*, 34 (1999) 407-413.
211. R.F.Cross, E.Ostrowska, M.Muralitharan, F.R.Dunshea, Mixed mode retention and the use of competing acid for the Ag-HPLC analysis of underivatized conjugated linoleic acids, *J. High Res. Chromatogr.* 23 (2000) 317-323.
212. Cigic IK, Plavec J, Zupancic-Kralj L Determination of the geometrical isomers of ethyl 2,4-decadienoate *J CHROMATOGR A* 847: (1-2) 359-364 JUN 25 1999
213. Yurawecz M.P., Morehouse K.M., Silver ion HPLC of conjugated linoleic acid isomers, *Eur. J. Lipid Sci. Technol.*, 103 (2001) 609-613.
214. Ratnayake W.M.N., Analysis of Dietary Trans fatty acids, *J. Oleo Sci*, 50 (2001), 339-352.
215. Pierre Juaneda, Utilisation of reversed-phase high-performance liquid chromatography as an alternative to silver-ion chromatography for the separation of *cis*- and *trans*-C18:1 fatty acid isomers, *Journal of Chromatography A*, 954 (2002) 285-289
216. John A.G. Roach, Magdi M. Mossoba, M. Peter Yurawecz, John K.G. Kramer, Chromatographic separation and identification of conjugated linoleic acid isomers *Analytica Chimica Acta* 465 (2002) 207-226
217. Seppanen-Laakso T. I.Laakso and R.Hiltunen, Analysis of fatty acids by gas chromatography, and its relevance to research on health and nutrition, *Anal. Chim. Acta*, 465 (2002) 39-62
218. Vereshchagin Andrei G., Vasily P. Pchelkin, Silver ion liquid-chromatographic mobility of plant diacylglycerols as a function of their composition and spatial arrangement, *J. Chromatogr. A*, Aug 23, 2002, vol. 967, N2, p.269-278.
219. Rainer Rickert, Konjugierte Linolsäureisomere (CLA) in biologischen Matrices, Dissertation, Universität Hamburg, Hamburg 2002.

220. Shan Hui., Wilson W. K., Ternary gradient elution markedly improves silver-ion high performance liquid chromatography of unsaturated sterols, *Steroids* 67 (2002) 917–923
221. Cross R.F., Zackari H., Ag-HPLC-HPLC of conjugated linoleic acids on a silica based stationary phase. Part III: Model compounds. *J.Sep. Sci.*, 25 (2002) 897-903.
222. Adlof RO Separation of conjugated linoleic acid methyl esters by silver-ion high performance liquid chromatography in semi-preparative mode *J CHROMATOGR A* 1033 (2): 369-371 APR 18 2004.
223. R. Adlof, G. List R. Analysis of triglyceride isomers by silver-ion high-performance liquid chromatography Effect of column temperature on retention times *Journal of Chromatography A*, 1046 (2004) 109–113.
224. Vereshchagin, AG, Pchelkin, VP., Thin-layer chromatography of coordination Ag<sup>+</sup>-complexes of plant diacylglycerols, *RUSSIAN JOURNAL OF BIOORGANIC CHEMISTRY* 2003 VL 29 IS 1 BP 73 EP 79
225. Tuulikki Seppänen-Laakso, Replacement of Dietary Fats – Effects on Serum Lipids and Plasma Fatty Acid Composition with Special Emphasis on the Metabolism of Essential Fatty Acids, ACADEMIC DISSERTATION, Division of Pharmacognosy, Faculty of Pharmacy, University of Helsinki, Helsinki 2004.
226. Adlof R., Analysis of triacylglycerol and fatty acid isomers by low-temperature silver-ion high performance liquid chromatography with acetonitrile in hexane as solvent: Limitations of the methodology, *Journal of Chromatography A*, 1148 (2007) 256–259.
227. Thurnhofer, S., Hottinger, G., Vetter, W., Enantioselective determination of anteiso fatty acids in food samples, *Analytical Chemistry*, Volume 79, Issue 12, 15 June 2007, Pages 4696-4701.
228. Vetter, W., Gaul, S., Thurnhofer, S., Mayer, K., Stable carbon isotope ratios of methyl-branched fatty acids are different to those of straight-chain fatty acids in dairy products, *Analytical and Bioanalytical Chemistry*, **389** (2) pp. 597-604, 2007.
229. Delmonte, P., Rader, J.I., Evaluation of gas chromatographic methods for the determination of *trans* fat, *Analytical and Bioanalytical Chemistry*, **389** (1) pp. 77-85, 2007.
230. Zehethofer, Nicole, Pinto, Devanand M., Volmer, Dietrich A., Plasma free fatty acid profiling in a fish oil human intervention study using ultra-performance liquid chromatography/electrospray ionization tandem mass spectrometry, **Source: RAPID COMMUNICATIONS IN MASS SPECTROMETRY** 22 (13) 2125-2133 2008
231. Leskinen, H., Suomela, J.-P., Pinta, J., Kallio, H., Regioisomeric structure determination of  $\alpha$ - and  $\gamma$ -linolenoyldilinoleoylglycerol in blackcurrant seed oil by silver ion high-performance liquid chromatography and mass spectrometry, *Anal. Chem.*, **80** (2008) 5788-5793.
232. S. Thurnhofer, G. Hottinger and W. Vetter, Enantioselective determination of anteiso fatty acids in food samples, *Anal. Chem.* **79** (2007) 4696-4701.
233. C.Cruz-Hernandes and J.K.G.Kramer, Analysis of total milk fat, In: *Inovation in Lipid Science*, R.J.Weselake, ed., CRC Press, AOCA Press, Boca Raton, 2008, pp. 183-214.
234. Tsuzuki, W., Ushida, K., Preparative separation of cis- and trans-isomers of unsaturated fatty acid methyl esters contained in edible oils by reversed-phase high-performance liquid chromatography, *Lipids*, **44** (4) 2009 pp. 373-379.
235. Puttick, D., Dauk, M., Lozinsky, S., Smith, M.A., Overexpression of a FAD3 desaturase increases synthesis of a polymethylene-interrupted dienoic fatty acid in seeds of *arabidopsis thaliana* L., *Lipids*, **44**, 8, 2009, 753-757.

236. Ruiz-Rodriguez, A.Reglero, G.Ibañez, E., Recent trends in the advanced analysis of bioactive fatty acids, *Journal of Pharmaceutical and Biomedical Analysis*, **51**, Issue 2, 2010, 305-326.
237. Delmonte, P., Kia, A.-R.F., Qing, H., Rader, J.I., Review of methods for preparation and gas chromatographic separation of trans and cis reference fatty acids, *Journal of AOAC International*, **92** (5), 2009, pp. 1310-1326.
238. Rocha, J.M., Kalo, P.J., Ollilainen, V., Malcata, F.X., Separation and identification of neutral cereal lipids by normal phase high-performance liquid chromatography, using evaporative light-scattering and electrospray mass spectrometry for detection, *Journal of Chromatography A*, **1217** (18), 2010, pp. 3013-3025.

**B.Nikolova-Damyanova, K.Stefanov, K.Seizova, S.Popov, Comp. Biochem. Physiol., 103 B (1992) 733-736.**

239. B.Fried, J.Sherma, *Steroids and terpenoids*, in *Thin Layer Chromatography* (ed. J.Cazes) Marcel Dekker Inc., New York, 1994, pp 373-390.

**B.Nikolova-Damyanova, W.W.Christie, B.Herslof, J. Planar Chromatogr., 7 (1994) 382-385.**

240. *Recorder Abstract* 97, Lovendegen, Belgium.
241. J.Sherma, *Anal. Chem.*, **68**, (1996) 1R-19R.
242. Pchelkin VP Estimation of the equivalent lipophilicity of acyls in reversed-phase chromatography of unsaturated lipids in the presence of silver salts *RUSS J PHYS CH* 74: (4) 625-631 APR 2000
243. Flieger J, Szumilo H, Gielzak-Kocwin K' Optimizing modification conditions of silica gel with metal salts *J LIQ CHROMATOGR R T* 22: (19) 2879-2894 1999
244. Wolff RL Comments on the methodology for the separation and quantitation of cis-6 (petroselinic) and cis-9 (oleic) 18:1 acids *J AM OIL CHEM SOC*, **75**(7) 893-894 1998.
245. Sherma J., B.Fried, *Lipids in Thin-Layer Chromatography*, New York: Marcel Dekker, (1999), pp. 277-315.
246. Wilson R., Sargent J.R., Chain separation of monounsaturated fatty acid methyl esters by argentation thin-layer chromatography, *J. Chromatogr., A*, **905** (2001) 251-257.
247. Flieger J, Szumilo H Optimizing chromatographic conditions for separation of fatty acid methyl esters by argentation thin-layer chromatography *JPC-J PLANAR CHROMAT* **13** (6): 426-431 2000
248. Lee SJ, Yoon BD, Oh HM Rapid method for the determination of lipid from the green alga *Botryococcus braunii* *BIOTECHNOL TECH* **12** (7): 553-556 JUL 1998.
249. Mohammad A, Zehra A, Thin layer chromatographic analysis of amino acids on high performance silica TLC plates with buffered aqueous eluents : separation of DL-phenylalanine from L-tyrosine, *PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES INDIA SECTION A-PHYSICAL SCIENCES*, **78A**, 11-21 2008.
250. Mohammad, A., Zehra, A., Separation of Coexisting Tryptophan, Alanine, and Phenylalanine or Tyrosine by Silver Ion High-Performance Thin-Layer Chromatography, 8th International Symposium on Chromatography of Natural Products, Lublin, POLAND, Research Inst Medicinal Plant, 299-304 (2008)

**B.Nikolova-Damyanova, D.Chobanov, S.Dimov, J. Liq. Chromatogr., 16 (1993) 3997-**

251. R.O.Adlof, *J. High Res. Chromatogr.*, **18** (1995) 105-107.
252. M.Lipp, *Food Chem.*, **54** (1995) 213-221.
253. J.Sherma, *Anal. Chem.*, **68** (1996) 1R-19R.

254. K.Lekova, *Anal. Lab.*, **2** (1994) 118-136.
255. P.Laakso and P.Voutilainen, *Lipids*, **31** (1996) 1311-1322.
256. Touchstone-JC, Thin-Layer Chromatographic Procedures for Lipid Separation, *JOURNAL OF CHROMATOGRAPHY B-BIOMEDICAL APPLICATIONS*, 1995, Vol 671, Iss 1-2, pp 169-195.
257. Weins-C, Hauck-HE, Advances and Development in Thin-Layer Chromatography *JC GC-MAGAZINE OF SEPARATION SCIENCE*, 1996, Vol 14, Iss 6, pp 456+
258. Hu-ZD, Yang-GL Yi-JJ Zhang-HY Sun-HW, A Theoretical-Study of the Thin-Layer Chromatographic Behavior of 33 Metal-Ions on Silica-Gel, *JPC JOURNAL OF PLANAR CHROMATOGRAPHY-MODERN TLC*, 1998, **11**, Iss 1, pp 51-55.
259. Flieger J, Szumilo H, Gielzak-Kocwin K' Investigation of conditions suitable for impregnation of polyamide with metal salts, and determination of the structures of the materials obtained *JPC-J PLANAR CHROMAT* 12: (4) 255-260 JUL-AUG 1999
260. Szumilo H, Flieger J Chromatographic behavior of sulfonamides on polyamide impregnated with various metal salts *JPC-J PLANAR CHROMAT* 9: (6) 462-466 NOV-DEC 1996.
261. J.Sherma, B.Fried, *Lipids in Thin-Layer Chromatography*, New York: Marcel Dekker, (1999), pp. 277-315.
262. Andrikopoulos N.K. Chromatographic and spectroscopic methods in the analysis of triacylglycerol species and regiospecific isomers of oils and fats *Critical reviews in food Science and Nutrition*, **42** (5) 473-505 (2002).
263. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, **106** (2004) 621-648.
264. T.Cszerhati, E.Forges, Introduction in Technical Instrumentation, in *Practical TLC*, B.Fried and J.Sherma. eds, CRC Press, Boca Raton, 2001, pp 1-18.

**B.Nikolova-Damyanova, E.Ilieva, N.Handjieva, V.Bankova, *Phytochem. Anal.*, 5 (1994), 38-40**

265. G.A.Cordell, *Phytochemistry*, **40** (1995) 1585-1612, review
266. K.Lekova, *Anal. Lab.*, **2** (1994) 118-136.
267. Sherma-J. Planar Chromatography, *ANALYTICAL CHEMISTRY*, 1996, Vol 68, Iss 12, pp R1-R19.
268. E.Dreassi, G.Ceramelli, thin layer chromatography in Pharmaceutical analysis, in *Practical TLC*, B.Fried and J.Sherma, eds, CRC Press, Boca Raton, 2002, 234-245.
269. Jamieson, M.A., Bowers, M.D., Iridoid glycoside variation in the invasive plant dalmatian toadflax, *Linaria dalmatica* (plantaginaceae), and sequestration by the biological control agent, *calophasia lunula*, *Journal of Chemical Ecology*, **36**, Issue (1), 2010, 70-79.

**B.Nikolova-Damyanova, V.Bankova, S.Popov, *Phytochemical Analysis*, 5 (1994) 81-**

270. K.Lekova, *Anal. Lab.*, **2** (1994) 118-136.
271. J.R.Hanson, *Nat. Prod. Reports*, **13** (1996) 59-71, review
272. Bovanova-L Brandsteterova-E Baxa-S, HPLC Determination of Stevioside in Plant-Material and Food Samples, *ZEITSCHRIFT FUR LEBENSMITTEL-UNTERSUCHUNG UND-FORSCHUNG A-FOOD RESEARCH AND TECHNOLOGY*, 1998, **207**, Iss 5, 352-355
273. Brandle-JE Starratt-AN Gijzen-M, Stevia-Rebaudiana - Its Agricultural, biological, and Chemical-Properties, *CANADIAN JOURNAL OF PLANT SCIENCE*, 1998, **78**, Iss 4, 527-536.

274. Pasquel A, Meireles MAA, Marques MOM, et al. Extraction of stevia glycosides with CO<sub>2</sub> plus water, CO<sub>2</sub> plus ethanol, and CO<sub>2</sub> plus water plus ethanol *BRAZ J CHEM ENG* 17: (3) 271-282 SEP 2000.
275. Vanek T, Nepovim A, Valicek P Determination of stevioside in plant material and fruit teas *J FOOD COMPOS ANAL* 14 (4): 383-388 AUG 2001
276. Kedik, S.A., Fedorov, S.V., Yanul', N.A., Prokhorova, L.V., Smirnova, E.V., Panov, A.V., Chromatographic determination of stevioside in raw plant material, *Pharmaceutical Chemistry Journal* Volume 37, Issue 10, October 2003, Pages 529-532.
277. Bovanová, L., Brandsteterová, E., Baxa, S., HPLC determination of stevioside in plant material and food samples, *Zeitschrift für Lebensmittel -Untersuchung und -Forschung* Volume 207, Issue 5, 1998, Pages 352-355.
278. Kovylyaeva, G.I., Bakaleinik, G.A., Strobykina, I.Yu., Gubskaya, V.I. R.R., Al'Fonsov, V.A., Kataev, V.E., Tolstikov, A.G., Glycosides from *Stevia rebaudiana*, Sharipova, *Chemistry of Natural Compounds*, Volume 43, Issue 1, January 2007, Pages 81-85.
279. Jaitak, V., Gupta, A.P., Kaul, V.K., Ahuja, P.S., Validated high-performance thin-layer chromatography method for steviol glycosides in *Stevia rebaudiana*, 2008, *Journal of Pharmaceutical and Biomedical Analysis*, 47 (4-5) pp. 790-794.
280. Rayaguru, K., Khan, Md.K., Post-harvest management of stevia leaves: A review, *Journal of Food Science and Technology*, 2008 45 (5), pp. 391-397.
281. Bovanová, L., Brandšteterová, E, Baxa, S., HPLC determination of stevioside in plant material and food samples, *European Food Research and Technology* Volume 207, Issue 5, 1998, Pages 352-355
282. Taware, A.S., Mukadam, D.S., Chavan, A.M., Taware, S.D., Comparative studies of in vitro and in vivo grown plants and callus of *Stevia rebaudiana* (Bertoni) *International Journal of Integrative Biology* 9 (2010), pp. 10-15

**Stefanov K, Popova I, Nikolova-Damyanova B, G.Kimenov, S.Popov,**  
**PHYTOCHEMISTRY 31 (11) 3745-3748 1992**

283. Lauriano, J.A., Lidon, F.C., Carvalho, C.A., Campos, P.S., Do Ceu Matos, M. Drought effects on membrane lipids and photosynthetic activity in different peanut cultivars *PHOTOSYNTHETICA* 38: (1) 7-12 2000
284. Sayed SA Effects of lead and kinetin on the growth, and some physiological components of safflower *PLANT GROWTH REGUL* 29: (3) 167-174 NOV 1999
285. Hernandez LE, Cooke DT Modification of the root plasma membrane lipid composition of cadmium-treated *Pisum sativum* *J EXP BOT* 48: (312) 1375-1381 JUL 1997
286. Ben Youssef, N. , Nouairi, I. , Ben Temime, S. , Taamalli, W. , Zarrouk, M., Ghorbal, M.H. , Ben Miled Daoud, D. Cadmium effects on lipid metabolism of rape (*Brassica napus* L.) *Comptes Rendus – Biologies* Volume 328, Issue 8, August 2005, Pages 745-757.
287. Ben Ammar, W., Nouairi, I., Zarrouk, M., Jemal, F., Cadmium stress induces changes in the lipid composition and biosynthesis in tomato (*Lycopersicon esculentum* Mill.) leaves, *Plant Growth Regulation* 53 (2), pp. 75-85, 2007.
288. Ben Ammar, W., Nouairi, I., Zarrouk, M., Jemal, F., The effect of cadmium on lipid and fatty acid biosynthesis in tomato leaves, 2008, *Biologia - Section Botany*, 63 (1) pp. 86-93.
289. Han, Y.-L., Huang, S.-Z., Gu, J.-G., Qiu, S., Chen, J.-M., Tolerance and accumulation of lead by species of *Iris* L., *Ecotoxicology*, 17, (8), 853-859.

**Tam, B.Nikolova-Damyanova, B.Pvuskvulev, J. Liq. Chromatogr., 18 (1995) 849-858.**

290. J.Sherma. *Anal. Chem.*, **68** (1996) 1R-19R.
291. Hernández-Domínguez, E., Vázquez-Flota, F., Monoterpenoid alkaloid quantitation by in situ densitometry-thin layer chromatography *Journal of Liquid Chromatography and Related Technologies*, 2006 29 (4), pp. 583-590.
292. Luo, M., Fu, Y., Zu, Y., Shi, Q., Mu, F., Li, Q., Rapid determination of 4 vinca alkaloids by reversed phase high performance liquid chromatography, *Fenxi Huaxue* 2005 33 (1), pp. 87-89.
293. Zhao, J., Zhu, W.H., Wu, Y.Q., Hu, Q., Determination of indole alkaloids in *Catharanthus roseus* tissue and cell cultures by RP-HPLC, *Yaouxue Xuebao* 34 (7) 1999, pp. 539-542.
294. Yang, L., Tang, Z., Zu, Y., Simultaneous determination of vindoline, catharanthine and anhydrovinblastine in *catharanthus roseus* by high performance liquid chromatography, *Chinese Journal of Chromatography (Se Pu)*, 2007, **25** (4) pp. 550-552.
295. Tang, Z., Rao, L. Applying aluminum oxide column chromatography purify extracts of *catharanthus roseus* and simultaneous determination of the indole alkaloids by HPLC, *Analytical Letters*, **43**, (2), 2010, 219-225.

**R.Tarandjiiska, I.Marekov, B.Nikolova-Damyanova and B.Amidzhin, J. Liq. Chromatogr., 18, 859-872 (1995).**

296. J.Sherma. *Anal. Chem.*, **68** (1996) 1R-19R.
297. W.W.Christie, in *Advances of Lipid Methodology - Four*, (W.W.Christie, Ed.) 1997, The Oily Press, Dundee, pp. 253-271.
298. Pons-SM Bargallo-AIC Sabater-MCL, Analysis of Human-Milk Triacylglycerols by High-Performance Liquid-Chromatography with Light-Scattering Detection, *JOURNAL OF CHROMATOGRAPHY A*, 1998, **823**, Iss 1-2, 475-482
299. Andrikopoulos N.K., Triglyceride species composition of common edible vegetable oils and methods for their identification and quantification *Food Review Int.*, 18 (1) 71-102 (2002).
300. Andrikopoulos N.K. Chromatographic and spectroscopic methods in the analysis of triacylglycerol species and regiospecific isomers of oils and fats *Critical reviews in food Science and Nutrition*, 42 (5) 473-505 (2002).
301. Waksmundzka-Hajnos M, Wawrzynowicz T Strategy of preparative separation of organic compounds by thin-layer chromatographic methods *J LIQ CHROMATOGR R T* 25 (13-15): 2351-2386 2002

**Tarandjiiska RB Marekov, I, Nikolova-Damyanova B, Amidzhin-(1996) J.SCI.FOOD. AGR. 72, 403-410**

302. Pons-SM Bargallo-AIC Sabater-MCL, Analysis of Human-Milk Triacylglycerols by High-Performance Liquid-Chromatography with Light-Scattering Detection, *JOURNAL OF CHROMATOGRAPHY A*, 1998, **823**, Iss 1-2, 475-482
303. Andrikopoulos N.K., Triglyceride species composition of common edible vegetable oils and methods for their identification and quantification *Food Review Int.*, 18 (1) 71-102 (2002).
304. Andrikopoulos N.K. Chromatographic and spectroscopic methods in the analysis of triacylglycerol species and regiospecific isomers of oils and fats *Critical reviews in food Science and Nutrition*, 42 (5) 473-505 (2002).

305. Teng, G. , Soucek, M.D., Vick, B.A., Simonsick Jr., W.J. , Sen, A., Spectroscopic investigation of the blowing process of soyabean oil *SURF COAT INT PT B-C* 86 (3): 221-229 SEP 2003.
306. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.* , 106 (2004) 621-648.
307. Hu, G., Lu, Y., Wei, D., Fatty acid composition of the seed oil of *Allium tuberosum*, *Bioresource Technology*, Volume 96, Issue 14, September 2005, Pages 1630-1632.
308. Hu, G., Lu, Y., Wei, D., Chemical characterization of Chinese chive seed (*Allium tuberosum* Rottl.), 2006, *Food Chemistry* 99 (4), pp. 693-697.
309. McCormick, R.L., Ratcliff, M., Moens, L., Lawrence, R., Several factors affecting the stability of biodiesel in standard accelerated tests, *Fuel Processing Technology* Volume 88, Issue 7, July 2007, Pages 651-657
310. Sharma, Y.C., Singh, B., Upadhyay, S.N., Advancements in development and characterization of biodiesel: A review, *Fuel* Volume 87, Issue 12, September 2008, Pages 2355-2373.
311. W. Zong and H. J. Ma, Supercritical fluid extraction of *lagerstroemia speciosa* seed oil and GC/MS analysis, International Conference on Agriculture Engineering,, Baoding, PEOPLES R CHINA, 2007, 621-625.
312. El Diwani, G., El Rafie, S., Hawash, S., Protection of biodiesel and oil from degradation by natural antioxidants of Egyptian *Jatropha*, *International Journal of Environmental Science and Technology* Volume 6, Issue 3, June 2009, Pages 369-378.
313. Lim, H.K., Tan, C.P., Karim, R., Ariffin, A.A., Bakar, J, Chemical composition and DSC thermal properties of two species of *Hylocereus cacti* seed oil: *Hylocereus undatus* and *Hylocereus polyrhizus*, *Food Chemistry*, **119** (4) pp. 1326-1331 (2010).

**B.Nikolova-Damyanova, W.W.Christie and B.Herslof, J. Chromatogr. A., 693 (1995) 235-239.**

314. Wright-PB Dorsey-JG., Silver(I) Mediated Separations by Capillary Zone Electrophoresis and Micellar Electrokinetic Chromatography - Argentation Electrophoresis, *ANALYTICAL CHEMISTRY*, 1996, Vol 68, Iss 3, pp 415-424.
315. Elfman-Borjesson I., van der Hark S. and Harrod M., Gradients of n-heptane and acetonitrile in silver-ion high performance liquid chromatography analyses of cis and trans bonds in lipids, *J. Am Oil Chem. Soc.*, **54** (1997) 1177-1180.
316. Pchelkin VP Estimation of the equivalent lipophily of acyls in reversed-phase chromatography of unsaturated lipids in the presence of silver salts, *RUSS J PHYS CH* 74: (4) 625-631 APR 2000
317. Wright PB, Dorsey JG Silver (I)-mediated separations by nonaqueous capillary electrophoresis: Nonaqueous argentation electrophoresis *HRC-J HIGH RES CHROM* 21: (9) 498-504 SEP 1998
318. R.O. Adlof , A. Menzel , V. Dorovska-Taran, Analysis of conjugated linoleic acid-enriched triacylglycerol mixtures by isocratic silver-ion high-performance liquid chromatography, 953 (2002) 293–297 *Journal of Chromatography A*,
319. Andrei G. Vereshchagin\*, Vasily P. Pchelkin Silver ion liquid-chromatographic mobility of plant diacylglycerols as a function of their composition and spatial arrangement *J. Chromatogr. A*, Aug 23, 2002, vol. 967, N2, p.269-278.
320. Vereshchagin, AG, Pchelkin, VP., Thin-layer chromatography of coordination Ag<sup>+</sup>-complexes of plant diacylglycerols, *RUSSIAN JOURNAL OF BIOORGANIC CHEMISTRY*, 2003 VL 29 IS 1 BP 73 EP 79

**G.Dobson, W.W.Christie, B.Nikolova-Damyanova, *J. Chromatogr. B*, 671 (1996) 197-222.**

321. J.G.Dorsey, W.T.Cooper, B.Siles, J.P.Foley, H.G.Barth, *Anal. Chem.*, **68** (1996) 515R-568R.
322. R.O.Adlof, *J. Chromatogr. A*, **741** (1996) 135-138.
323. P.Laakso and P.Voutilainen, *Lipids*, **31** (1996) 1311-1322.
324. R.A.Adlof, *J. Chromatogr. A*, **764** (1997) 337-340.
325. P.Laakso, in *Food Rev. Int.*, **12** (1996) 199-250.
326. R.O.Adlof, in *New Techniques and Applications in Lipid Analysis* (R.E.McDonald and M.M.Mossoba, editors) AOCS Press, Campaign, Illinois, 1997, pp. 256-265.
327. Ruan-BF Shey-J Gerst-N Wilson-WK Schroepfer-GJ., Silver Ion High-Pressure Liquid-Chromatography Provides Unprecedented Separation of Sterols - Application to the Enzymatic Formation of Cholesta-5,8-Dien-3-Beta-Ol, *PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA*, 1996, Vol 93, Iss 21, pp 11603-11608.
328. Chester-TL Pinkston-JD Raynie-DE., Supercritical-Fluid Chromatography and Extraction, *ANALYTICAL CHEMISTRY*, 1996, Vol 68, Iss 12, pp R487-R514.
329. Elfman-Borjesson I., van der Hark S. and Harrod M., gradients of n-heptane and acetonitrile in silver-ion high performance liquid chromatography analyses of cis and trans bonds in lipids, *J. Am Oil Chem. Soc.*, **54** (1997) 1177-1180
330. Adlof R., Lamm T., Fractionation of cis and trans-oleic, linoleic and conjugated linolenic fatty acid methyl esters by Ag-HPLC, *J. Chromatogr. A*, **799** (1988) 329-332.
331. D.Firestone and M.M.Mossoba, Newer methods for fat analysis in food, in *New Techniques and Applications in Lipid Analysis*, R.E.McDonald and M.M.Mossoba, eds., JAOCS Press, Champaign, Illinois, 1997, pp. 1-33
332. 12. D.G.Hyes, Analsis of unusual lipids by SFC, in *New Techniques and Applications in Lipid Analysis*, R.E.McDonald and M.M.Mossoba, eds., JAOCS Press, Champaign, Illinois, 1997, pp. 163-182
333. Schuy P.J.W., T.de Joode, M.A.Vasconcellos, G.S.M.J.E.Duchateau, Silver-pahse high-performance liquid chromatography-electrospray mass spectrometry of triacylglycerols, *J. Chromatogr., A.*, **810** (1998) 53-61.
334. Jeong Jun Han, Yugo Iwasaki, Tsumeo Yamane, Use of Isopropanol as a modifier in a hexane-acetonitrile based mobile phases for the silver ion HPLC separaion of positional iomers of triacylglycerols containing long chain polyunsaturated fatty acids, *J. High Resol. Chromatogr.*, **22**(2) 357-361 (1999).
335. B.Ruan, M. Gerst, G. Emmons, G.Shey, G.Schroepfer, Jr., Sterol synthesis and analysis by conventional and silver ion HPLC, *J. Lipid Res.*, **38** (1997) 2615-2626.
336. Poole CF Progress in packed column supercritical fluid chromatography: materials and methods *J BIOCHEM BIOPH METH* 43: (1-3) 3-23 JUL 5 2000.
337. Pchelkin, V.P., Estimation of the equivalent lipophily of acyls in reversed-phase chromatography of unsaturated lipids in the presence of silver salts, *Zhurnal Fizicheskoi Khimii*, **74** (4) 2000. 718-724
338. Holcapek M, Jandera P, Fischer J, et al. Analytical monitoring of the production of biodiesel by high-performance liquid chromatography with various detection methods/ *CHROMATOGR A* 858: (1) 13-31 OCT 8 1999
339. Rioux V, Catheline D, Bouriel M, et al. High performance liquid chromatography of fatty acids as naphthacyl derivatives *ANALUSIS* 27: (2) 186-193 MAR 1999
340. Cigic IK, Plavec J, Zupancic-Kralj L Determination of the geometrical isomers of ethyl 2,4-decadienoate *J CHROMATOGR A* 847: (1-2) 359-364 JUN 25 1999

341. Han JJ, Iwasaki Y, Yamane T Monitoring of lipase-catalyzed transesterification between eicosapentaenoic acid ethyl ester and tricaprylin by silver ion high-performance liquid chromatography and high-temperature gas chromatography *J AM OIL CHEM SOC* 76: (1) 31-39 JAN 1999
342. Fritsche J, Steinhart HPLC Analysis, occurrence, and physiological properties of trans fatty acids (TFA) with particular emphasis on conjugated linoleic acid isomers (CLA) - a review *FETT-LIPID* 100: (6) 190-210 JUN 1998
343. Itabashi Y, Myher J.J., Kuksis A., HPLC resolution of reverse isomers of 1,2-diacyl-rac-glycerols as 3,5-dinitrophenylurethanes, *J. Chromatogr. A*, 893 (2000) 261-279.
344. Fevrier, P., Binet A., Dufosse L., Gree R., Yvergnaux F., Separation of glyceride positional isomers by silver ion chromatography, *J. Chromatogr. A*, 923 (2001) 53-57.
345. Yasuhiro Funada, Yukio Hirata, Analysis of plant oils by subcritical fluid chromatography using pattern fitting, *Journal of Chromatography A*, 800 (1998) 317-325
346. Czauderna M, Kowalczyk J., Separation of some mono-, di- and tri-unsaturated fatty acids containing 18 carbon atoms by high-performance liquid chromatography and photodiode array detection *J. Chromatogr. B* 760(1) 165-78 (2001)
347. Cross F.R., Widman H.A., Ag-HPLC of conjugated linoleic acids on a silica-based stationary phase, Part II: Resolution and extrapolations. *J. Sep. Sci.*, 25 (2002) 245-251.
348. Williams C.M., Mander L.N., Chromatography with silver nitrate, *Tetrahedron*, 57 (2001) 425-447.
349. E.S. Lima, D.S.P. Abdalla, High-performance liquid Chromatography of fatty acids in biological samples *Analytica Chimica Acta* 465 (2002) 81-91
350. Seppanen-Laakso T. I. Laakso and R. Hiltunen, Analysis of fatty acids by gas chromatography, and its relevance to research on health and nutrition, *Anal. Chim. Acta*, 465 (2002) 39-62
351. Sandra P., A. Medvedovici, Y. Zhao and F. David. Characterization of triglycerides in vegetable oils by silver-ion packed-column supercritical fluid chromatography coupled to mass spectroscopy with atmospheric pressure chemical ionization and coordination ion spray. *JOURNAL OF CHROMATOGRAPHY A* 2002, 974:1-2:231-241.
352. Vereshchagin Andrei G., Vasily P. Pchelkin, Silver ion liquid-chromatographic mobility of plant diacylglycerols as a function of their composition and spatial arrangement *J. Chromatogr. A*, Aug 23, 2002, vol. 967, N2, p.269-278.
353. Kirstin Winkler, Vorkommen und Charakterisierung konjugierter Fettsäure-Isomere in Lebensmitteln und humanen Gewebearten, Dissertation, Institut für Biochemie und Lebensmittelchemie - Abteilung Lebensmittelchemie - der Universität Hamburg, Hamburg 2002.
354. Jorrit Dirk Jan van den Berg, Analytical chemical studies on traditional linseed oil paints, ACADEMISCH PROEFSCHRIFT, Universiteit van Amsterdam, 26 april 2002,
355. Shan Hui, Wilson W. K. Ternary gradient elution markedly improves silver-ion high performance liquid chromatography of unsaturated sterols, *Steroids* 67, (2002) 917-923.
356. Cross R.F., Zackari H., Ag-HPLC-HPLC of conjugated linoleic acids on a silica-based stationary phase. Part III: Model compounds. *J. Sep. Sci.*, 25 (2002) 897-903.
357. Andrikopoulos N.K., Triglyceride species composition of common edible vegetable oils and methods for their identification and quantification *Food Review Int.*, 18 (1) 71-102 (2002).
358. Xianlin Han and Richard W. Gross, Quantitative Analysis and Molecular Species Fingerprinting of Triacylglyceride Molecular Species Directly from Lipid Extracts of

- Biological Samples by Electrospray Ionization Tandem Mass Spectrometry, *Analytical Biochemistry* **295**, 88–100 (2001).
359. ADLOF, R. O., LIST G. R. Synthesis and Analysis of Symmetrical and Nonsymmetrical Disaturated/Monounsaturated Triacylglycerols, *J. Agric. Food Chem.* **2003**, *51*, 2096-2099.
360. Czauderna M and J. Kowalczyk, HPLC Separation of Some Unsaturated and Saturated, Fatty Acids, *Chem. Anal. (Warsaw)*, *47*, 867 (2002).
361. Adlof RO Separation of conjugated linoleic acid methyl esters by silver-ion high performance liquid chromatography in semi-preparative mode *J CHROMATOGR A* *1033* (2): 369-371 APR 18 2004
362. Moreau RA, Kohout K, Singh V Temperature-enhanced alumina HPLC method for the analysis of wax esters, sterol esters, and methyl esters *LIPIDS* *37* (12): 1201-1204 DEC 2003
363. Hvattum E Analysis of triacylglycerols with non-aqueous reversed phase liquid chromatography and positive ion electrospray tandem mass spectrometry *RAPID COMMUN MASS SP* *15* (3): 187-190 2001
364. Ozawa I, Kim M, Saito K, et al. Purification of docosahexaenoic acid ethyl ester using a silver-ion-immobilized porous hollow-fiber membrane modul *BIOTECHNOL PROGR* *17* (5): 893-896 SEP-OCT 2001
365. Thompson RH Direct measurement of total trans- and cis-octadecenoic fatty acids based on a gas-liquid chromatographic class separation of trans-18:1 and cis-18:1 fatty acid methyl esters *J CHROMATOGR SCI* *35* (11): 536-544 NOV 1997
366. McSavage J, Wall PE Optimization of a mobile phase in reversed-phase HPTLC for the separation of unsaturated lipids in vegetable oils degraded during frying *JPC-J PLANAR CHROMAT* *11* (3): 214-221 MAY-JUN 1998.
367. R. Adlof, G. List Analysis of triglyceride isomers by silver-ion high-performance liquid chromatography Effect of column temperature on retention times *Journal of Chromatography A*, *1046* (2004) 109–113.
368. R.O.Adlof, Application of Silver-Ion Chromatography to the Separation of Conjugated Linoleic Acid Isomers, in *Advances in Conjugated Linoleic Acid Research, Vol.2*, Eds. J.-L.Sebedio, W.W.Christie and R.Adlof, AOCS Press, Champaign, IL, 2003, pp. 37-55.
369. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, *106* (2004) 621-648.
370. Demoulin, JB Ericsson, J Kallin, A Rorsman, C Ronnstrand, L Heldin, CH Platelet-derived growth factor stimulates membrane lipid synthesis through activation of phosphatidylinositol 3-kinase and sterol regulatory element-binding proteins, *JOURNAL OF BIOLOGICAL CHEMISTRY*, *279* (2004) *34*, 35392-35402.
371. Kralj Cigč, I., Guček, M., Zupančič-Kralj, L., Pihlar, B., Separation of isomers of dienoic acids by electromigration techniques, *Journal of Separation Science* Volume 26, Issue 14, September 2003, Pages 1253-1258
372. Gilpin, R. Liquid chromatography problem solving and troubleshooting, *Journal of Chromatographic Science* Volume 40, Issue 8, September 2002, Pages 473-474
373. Reepmeyer, J.C., Brower, J.F., Ye, H., Separation and detection of the isomeric equine conjugated estrogens, equilin sulfate and  $\Delta^{8,9}$ -dehydroestrone sulfate, by liquid chromatography-electrospray-mass spectrometry using carbon-coated zirconia and porous graphitic carbon stationary phases, *Journal of Chromatography A* Volume 1083, Issue 1-2, 12 August 2005, Pages 42-51.

374. Isaac G., Development of enhanced analytical methodology for lipid analysis from sampling to detection, Dissertation, Faculty of Science and Technology, Uppsala University, 2005.
375. D.E.Burton, The art and theory of lipid separations, in HPLC of Acyl Lipids, J.-T.Lin and Th. A. McKeon, eds., HNB Publishing, 2005, pp. 43-68.
376. Cunha S.C., S. Casal, MB.P.P. Oliveira, Triacylglycerol profile by HPLC/ELSD as discriminant parameter of varietal olive oil from Portugal, *Ital. J. Food Sci*, 17, 447-454 (2005).
377. Cvačka, J., Hovorka, O., Jiroš, P., Kindl, J., Stránský, K., Valterová, I., Analysis of triacylglycerols in fat body of bumblebees by chromatographic methods, *Journal of Chromatography A* Volume 1101, Issue 1-2, 6 January 2006, Pages 226-237.
378. Bicanic, D., Monik, G., Franko, M., Niederländer, H., Van De Bovenkamp, P., Cozijnsen, J., Van Der Klift, E., Separation and direct detection of long chain fatty acids and their methyl esters by the non-aqueous reversed phase HPLC and silver ion chromatography, combined with CO laser pumped thermal lens spectrometry, *Instrumentation Science and Technology* Volume 34, Issue 1-2, 1 February 2006, Pages 129-150
379. Thompson, R.Q., Phinney, K.W., Sander, L.C., Welch, M.J., Reversed-phase liquid chromatography and argentation chromatography of the minor capsaicinoids, *Analytical and Bioanalytical Chemistry*, Volume 381, Issue 7, April 2005, Pages 1432-1440
380. Dugo, P., Kumm, T., Fazio, A., Dugo, G., Mondello, L., Determination of beef tallow in lard through a multidimensional off-line non-aqueous reversed phase-argentation LC method coupled to mass spectrometry, *Journal of Separation Science*, Volume 29, Issue 4, March 2006, Pages 567-575
381. Barrado, E., Sanz, M.A., Tesedo, A., Romero, H., Rodríguez, J.A., Characterization of butter, margarine and vegetable oils by their fatty acid profile | [Caracterización de mantequillas, margarinas y aceites por su perfil de ácidos grasos], *Nutricion Clinica y Dietetica Hospitalaria* 26 (1), pp. 17-24
382. Sommer, U., Herscovitz, H., Welty, F.K., Costello, C.E., LC-MS-based method for the qualitative and quantitative analysis of complex lipid mixtures, *Journal of Lipid Research* 47 (4), pp. 804-814.
383. Dugo Paola, Tiina Kumm, Biagina Chiofalo, Antonella Cotroneo, Luigi Mondello, Separation of triacylglycerols in a complex lipidic matrix by using comprehensive two-dimensional liquid chromatography coupled with atmospheric pressure chemical ionization mass spectrometric detection, *J. Sep. Sci.* 2006, 29, 1146 – 1154.
384. P. Dugo, T. Kumm, M.L. Crupi, A. Cotroneo, L. Mondello, Comprehensive two-dimensional liquid chromatography combined with mass spectrometric detection in the analyses of triacylglycerols in natural lipidic matrixes, *Journal of Chromatography A*, 1112 (2006) 269–275.
385. Christian Rack, Suche nach pflanzlichen Thrombininhibitoren -Gerbstoffe und Fettsäuren im Fokus, Dissertation, Philipps-Universität Marburg, Marburg/Lahn 2005.
386. Fernández, L., Pérez-Victoria, I., Zafra, A., Benítez, P.L., Morales, J.C., Velasco, J., Adrio, J.L., High-level expression and characterization of *Galactomyces geotrichum* (BT107) lipase I in *Pichia pastoris*, *Protein Expression and Purification* Volume 49, Issue 2, October 2006, Pages 256-264 .
387. Volkman, J.K., Lipid markers for marine organic matter, *Handbook of Environmental Chemistry, Vol. 2: Reactions and Processes*, Volume 2, Issue N, 2006, Pages 27-70

388. P.Laakso, P.Manningen, Mass spectrometric techniques in the analysis of triacylglycerols, in, Spectral Properties of Lipids, R.J.Hamilton, J.Cast, eds, Sheffield Academic Press, sheffield, 1999, pp. 141-190.
389. Adlof R., Analysis of triacylglycerol and fatty acid isomers by low-temperature silver-ion high performance liquid chromatography with acetonitrile in hexane as solvent: Limitations of the methodology, *Journal of Chromatography A*, 1148 (2007) 256–259.
390. Rezanka, T., Sigler, K. , The use of atmospheric pressure chemical ionization mass spectrometry with high performance liquid chromatography and other separation techniques for identification of triacylglycerols,*Current Analytical Chemistry* Volume 3, Issue 4, October 2007, Pages 252-271.
391. Leskinen, H., Suomela, J.-P., Pinta, J., Kallio, H., Regioisomeric structure determination of  $\alpha$ - and  $\gamma$ - linolenoyldilinoleoylglycerol in blackcurrant seed oil by silver ion high-performance liquid chromatography and mass spectrometry,*Analytical Chemistry* **80**, Issue 15, 2008, Pages 5788-5793.
392. Xu, T., Pan, J., Zhao, L., Simultaneous determination of four andrographolides in *Andrographis paniculata* Nees by silver ion reversed-phase high-performance liquid chromatography, *Journal of Chromatographic Science*, 2008 **46** (8), pp. 747-750
393. Zhang, F., Chu, X., Wang, X., Yang, M., Ling, Y., Sun, L., Li, X., Yong, W., Preparative argentation reversed-phase high performance liquid chromatography,*Journal of Chromatography A*, **1213** (2) 2008 pp. 176-180.
394. C.Cruz-Hernandes and J.K.G.Kramer, Analysis of total milk fat, In: *Inovation in Lipid Science*, R.J.Weselake, ed., CRC Press, AOCA Press, Boca Raton, 2008, pp. 183-214.
395. François, I., Sandra, P., Comprehensive supercritical fluid chromatography  $\times$  reversed phase liquid chromatography for the analysis of the fatty acids in fish oil,*Journal of Chromatography A*, **1216** (18) 2009 4005-4012.
396. Yaoming Wen, Jiaoyan Wang, Xiuming Chen, Zhanxian Le, Yuxiang Chen and Wei Zheng, Application of silver ion in the separation of macrolide antibiotic components by high-speed counter-current chromatography, *Journal of Chromatography A*, **1216**, (2) 2009, 4668-4672.
397. Mitchell, T.W., Pham, H., Thomas, M.C., Blanksby, S.J., Identification of double bond position in lipids: From GC to OzID,*Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences* , **877**, 26 (15) 2009, 2722-2735.
398. Villegas, C., Zhao, Y., Curtis, J.M., Two methods for the separation of monounsaturated octadecenoic acid isomers, *Journal of Chromatography A* 1217 (5), 2010, 775-784
399. Lykakis, I.N., Ferreri, C., Grabovskiy, S.A., Chatgililoglu, C., Separation of cis/trans geometrical fatty acid isomers by silver-exchanged zeolite Y,*Tetrahedron*, **66** (12) 2010, 2203-2209.
400. Gao, X., Zhuang, R., Guo, J., Bao, J., Fang, M., Liu, Y., Xu, P., Zhao, Y., Isolation and purification of macrocyclic components from *Penicillium* fermentation broth by high-speed counter-current chromatography, *Journal of Separation Science*, 33 (2), 2010, 277-284.
401. Levandovskiy IA, Shubina TE, Fokin AA, Computational and QSAR study of the alkylnaphthyl ketones adsorption on silver-ion stationary phase,*JOURNAL OF MOLECULAR MODELING*, 16 (3) 513-522 (2010)
402. François, I., Dos Santos Pereira, A., Sandra, P., Considerations on comprehensive and off-line supercritical fluid chromatography  $\times$  reversed-phase liquid chromatography for the analysis of triacylglycerols in fish oil,*Journal of Separation Science* 33 (10), 2010. 1504-1512.

403. Zheng, W., Separation of cyclosporins and other antibiotics by HSCC, *Journal of Chromatography A* 1216 (18), 2009, 4005-4012.
404. Reepmeyer, J.C., Brower, J.F., Ye, H., Separation and detection of the isomeric equine conjugated estrogens, equilin sulfate and  $\Delta^{8,9}$ -dehydroestrone sulfate, by liquid chromatography-electrospray-mass spectrometry using carbon-coated zirconia and porous graphitic carbon stationary phases, *Journal of Chromatography A* 1083 (1-2), 2005, 42-51

**B.Nikolova-Damyanova, SILVER ION CHROMATOGRAPHY AND LIPIDS, in**  
**Advances in Lipid Methodology-one, (ed. W.W.Christie), The Oily Press, Avr, Scotland,**  
**1992.**

405. P.Laakso, *Dissertation*, University of Turku, Turku, Finland, 1992.
406. W.W. Christie, in *Proceedings of the 2nd Meeting of Contemporary Lipid Analysis*, Stockholm, 1992.
407. W.W.Christie, *INFORM*, **4** (1993) 85.
408. Edda Hoving, *Lipid Profiling in Clinical Chemistry*, PhD Thesis, 1993, Rijksuniversiteit Groningen, Nederland
409. L.G.Blomberg, M.Demirbucker, P.E.Anderson, *J. Am. Oil Chem. Soc.*, **70** (1993) 939-946.
410. W.W.Christie, Silver Ion Chromatography, in *New Trends in Lipid and Lipoprotein Analysis, Proceedings of the Conference*, September 15-17, 1993, La Grand Motte, France.
411. W.W.Christie, in *Advances in Lipid Methodology - Two*, The Oily Press, Dundee, 1993
412. T.G.Toschi, P.Capella, C.Holt and W.W.Christie, *J. Sci. Food Agric.*, **61** (1993) 261-266.
413. R.Sacchi, J.Medina, S.P.Augburg, J.Guidicia, L.Paolillo, F.Addeo, *J. Agric. Food*, **41** (1993) 1247-1253.
414. B.Peterson, O.Podlaha, B.Jirskog-Hed, *J.Chromatogr. A*, **653** (1993) 25-35.
415. P.Juaneda, J.-L.Sebedio, W.W.Christie, *J. High Res. Chromatogr.*, **17** (1994) 321-324.
416. B.Fried, J.Sherma, Lipids, in *Thin Layer Chromatography*, (ed. J. Cazes), Marcel Dekker, Inc., New York, 1994, pp.245-285.
417. W.E.Neff, R.O.Adlof, M.El-Agaimy, *J. Am. Oil Chem. Soc.*, **71** (1994) 853-855.
418. W.W.Christie, *Prog. Lipid Res.*, **33** (1994) 9-18. Review
419. W.E.Neff, R.O.Adlof, G.R.List, M.El-Agaimy, *J. Liq. Chromatogr.*, **17** (1994) 3951-3986.
420. R.O.Adlof, *J. High Res. Chromatogr.*, **18** (1995) 105-107.
421. S.Heron, E.Lesellier, A.Tchapla, *J. Liq. Chromatogr.*, **18** (1995) 599-611.
422. L.G.Blomberg, M.Demirbucker, in *Development in the analysis of Lipids*, (J.H.P.Tyman and M.H.Gordon, Ed.) The Royal Society of Chemistry, Cambridge, 1994, pp. 42-48.
423. R.O.Adlof, in *Separation Technology*, (E.F.Vansant, Ed.) Elsevier Science B.V. 1994, pp. 777-781.
424. M.Berquist, PhD Thesis, Stockholm, 1995.
425. Y.G.Joh, E.Brechany, W.W.Christie, *J. Am. Oil Chem. Soc.*, **72** (1995) 707-713.
426. Y.G.Joh, S.J.Kim, W.W.Christie, *J. Am. Oil Chem. Soc.*, **72** (1995) 1037-1042.

427. J.S.Bruckner, in *Insect Lipids: Chemistry, Biochemistry and Biology* (D.W.Stanley-Samuels and D.R.Nelson, Ed.) University of Nebraska Press, Lincoln, USA, 1993, pp. 227-271.
428. V.Ruiz-Gutierrez, L.J.R.Barron, *J. Chromatogr. B*, **671** (1995) 71-89. Review
429. G.Gutnikov, *J. Chromatogr., B*, **671** (1995) 71-89. Review
430. I.B.King, Analytical methodology for lipids in food, in *Handbook of Lipids and Human nutrition*, CRC Press, Inc., 1996, pp. 13-19.
431. P.Laakso, *Food Rev, Int.*, 12 (1996) 199-250. Review.
432. K.Lekova, *Anal. Lab.*, 2 (1994) 118-136.
433. A.Kuksis, in *Advances of Lipid Methodology - Three* (W.W.Christie, Ed.) 1996, The Oily Press, Dundee, pp 1-36.
434. W.W.Christie, in *Advances of Lipid Methodology - Four*, (W.W.Christie, Ed.) 1997, The Oily Press, Dundee, pp. 119-169.
435. P.Laakso and P.Voutilainen, *Lipids*, **31** (1996) 1311-1322.
436. R.A.Adlof, *J. Chromatogr. A*, **764** (1997) 337-340.
437. K.Stranski and I.Jursik, *Fett/Lipids*, **98** (1996) 67-71.
438. R.O.Adlof, in *New Techniques and Applications in Lipid Analysis* (R.E.McDonald and M.M.Mossoba, editors) AOCS Press, Campaign, Illinois, 1997, pp. 256-265.
439. W.W.Christie, in *New Trends in Lipid and Lipoprotein Analysis* (J.-I.Sebedio and E.G.Perkins, eds.), AOCS Press, Champaign, IL, 1995, pp. 59-74
440. Ovesen-L Leth-T Hansen-K., Fatty-Acid Composition of Danish Margarines and Shortenings, with Special Emphasis on Trans-Fatty-Acids, *LIPIDS*, 1996, Vol 31, Iss 9, pp 971-975.
441. Myher-JJ Kuksis-A., General Strategies in Chromatographic Analysis of Lipids, *JOURNAL OF CHROMATOGRAPHY B-BIOMEDICAL APPLICATIONS*, 1995, Vol 671, Iss 1-2, pp 3-33.
442. Elfman-Borjesson I., van der Hark S. and Harrod M., Gradients of n-heptane and acetonitrile in silver-ion high performance liquid chromatography analyses of cis and trans bonds in lipids, *J. Am Oil Chem. Soc.*, **54** (1997) 1177-1180.
443. Leray C., *Separation and quantification of lipids by HPLC with special reference to light-scattering detector*, Eurosep Instruments, Cergy Pontoise, 1997, pp.1-36.
444. P.Juaneda, Utilization of silver ion high performance liquid chromatography for separation of the geometrical isomers of a-linolenic acid, in *New Trend of Lipid and Lipoprotein Analysis*, J.L.Sebedio and E.G.Perkins, eds., AOCS Press, Champaign, 1995, pp. 75-80.
445. R.J.Henderson and O.R.Torcher, in *Lipid Analysis*, R.J.Hamilton and S.Hamilton, eds., IRL Press, Oxford, 1992, pp. 65-111.
446. W.W.Cristie, Gas-chromatography-mass spectrometry, methods for structural analysis of fatty acids, *Lipids*, **33** (4)(1998) 343-353.
447. W.W.Christie, Silver ion high-performance liquid chromatography: the mechanism, *Lipid Technology*, **10**, (1998) 17-19.
448. J.Fritsche and H.Steinhardt, Analysis of trans fatty acids, in *New Techniques and Applications in Lipid Analysis*, R.E.McDonald and M.M.Mossoba, eds., AOCS Press, Champaign, Illinois, 1997, pp. 234-255.
449. W.W.Christie, Some recent advances in the chromatographic analysis of lipids, *Analisis*, 26 (1998) 34-40.
450. W.W.Christie, Silver ion high performance liquid chromatography: some practical separations, *Lipid Technology*, **10** (1998) 113-115.

451. W.W.Christie, Silver ion high performance liquid chromatography: the mechanism, *Lipid Technology*, **10** (1998) 17-19.
452. W.M.N.Ratnayake, Analysis of trans fatty acids in trans fatty acids in human nutrition, J. L.Sebedio and W.W.Christie, eds., The Oily Press, Dundee, 1998, pp.115-161
453. Manninen-P Laakso-P, Capillary Supercritical-Fluid Chromatography Atmospheric-Pressure Chemical-Ionization Mass-Spectrometry of Triacylglycerols in Berry Oils, *JOURNAL OF THE AMERICAN OIL CHEMISTS SOCIETY*, 1997, **74**, Iss 9, pp 1089-1098
454. Cert-A Moreda-W, New Method of Stationary-Phase Preparation for Silver Ion Column Chromatography - Application to the Isolation of Steroidal Hydrocarbons in Vegetable-Oils *JOURNAL OF CHROMATOGRAPHY A* 1998, **823**, Iss 1-2, pp 291-297
455. Jeong Jun Han, Yugo Iwasaki, Tsumeo Yamane, Use of Isopropanol as a modifier in a hexane-acetonitrile based mobile phases for the silver ion HPLC separation of positional isomers of triacylglycerols containing long chain polyunsaturated fatty acids. *J. High Resol. Chromatogr.*, **22**(2) 357-361 (1999)
456. Bani S., Martin, J.-C., Conjugated linoleic acid and metabolites, in *Trans fatty acids in human nutrition* (J.L.Sebedio, W.W.Christie. eds., The Oily Press, Dundee, 1998, pp. 261-302.
457. Correa R.A., Ferraz V., Medvedovici A., Sandra P., Cerne K., David F., Positional and configurational separation of fatty acid isomers by micro reversed-phase liquid chromatography with an Ag<sup>+</sup> -containing mobile phase, *J. Chromatogr. A*, 848 (1999) 83-93
458. Christie W.W. *Silver ion liquid chromatography*, in **Encyclopedia for Separation Science**, I.D.Wilson, E.R.Adlard, M.Cooke, C.F.Poole eds., Academic Press, London, 2000, pp. 4112-4117.
459. Itabashi Y. Myher J.J., Kuksis A., HPLC resolution of reverse isomers of 1,2-diacylglycerols as 3,5-dinitrophenylurethanes, *J. Chromatogr. A*, 893 (2000) 261-279.
460. Garca and H. Pereira, Suberin structure in Potato periderm: Glycerol, long-chain monomers, and glyceryl and feruloyl dimers, *J. Agric. Food. Chem.*, 2000, **48**, 5476 – 5483.
461. Toro-Vazquez J.F., Briceno-Montelongo M., Dibildox-Alvarado E., Charo-Alonso M., Hernandez-Reyes J., Crystallization Kinetics of Palm Stearin in Blends with Sesame Seed Oil, *JAOCS*, **77** (2000) 297-310.
462. Flieger J. Szumilo H., Optimizing Chromatographic conditions for separation of methyl esters by argentation thin-layer chromatography, *J. Planar Chromatogr.*, **13** (2000) 426-431.
463. V. Ruiz-Gutierrez, M.C. Perez-Camino, Update on solid-phase extraction for the analysis of lipid classes and related compounds, *Journal of Chromatography A*, **885** (2000) 321–341
464. E.S. Lima, D.S.P. Abdalla High-performance liquid chromatography of fatty acids in biological samples, *Analytica Chimica Acta* **465** (2002) 81–91
465. José L.Garrido, Isabel Medina, Identification of minor fatty acids in mussel (*Mytilus galloprovincialis*) by GC–MS of their 2-alkenyl-4,4-dimethylloxazoline derivatives, *Analytica Chimica Acta* **465** (2002) 409–416.
466. Sandra P., A. Medvedovici, Y. Zhao and F. David, Characterization of triglycerides in vegetable oils by silver-ion packed-column supercritical fluid chromatography coupled to mass spectroscopy with atmospheric pressure chemical ionization and coordination ion spray. *JOURNAL OF CHROMATOGRAPHY A* (2002) **974**:1-2, 231-241.

467. Shan Hui., Wilson W. K., Ternary gradient elution markedly improves silver-ion high performance liquid chromatography of unsaturated sterols, *Steroids* 67 (2002) 917–923.
468. Christie W.W. **LIPID ANALYSIS**, Third Edition, The Oily Press, 2003.
469. Adlof, RO Separation of conjugated linoleic acid methyl esters by silver-ion high performance liquid chromatography in semi-preparative mode, *JOURNAL OF CHROMATOGRAPHY A*, 1033 IS 2 369 -371 (2004).
470. Kim, SJ, Woo, HK, Seo, MY, Joh, YG., Analysis of fatty acids in puffer fish liver oils by combined chromatographic procedures - Resolution of fatty acid methyl esters by Ag<sup>+</sup>-chromatography and their identification by GC-MS using 4,4-dimethyloxazoline derivatives, *FOOD SCIENCE AND BIOTECHNOLOGY* 2003, 12 (4) 326 – 336.
471. Carrier, A., Parent, J, Liquid chromatography-mass spectrometry determination of free fatty acids in phospholipid-based formulations *JOURNAL OF LIQUID CHROMATOGRAPHY & RELATED TECHNOLOGIES* 2001, 24, (1) 97 -107.
472. Mu, HL., Hoy, CE., Application of atmospheric pressure chemical ionization liquid chromatography-mass spectrometry in identification of lymph triacylglycerols *JOURNAL OF CHROMATOGRAPHY B* DT 2000, 748, (2) 425-437.
473. Ledoux, M., Laloux, L., Wolff, RL., Analytical methods for determination of trans-C18 fatty acid isomers in milk fat. A review *ANALYSIS Review*, 2000, 28 (5) 402-412.
474. Mu, HL., Kalo, P., Xu, XB., Hoy, CE., Chromatographic methods in the monitoring of lipase-catalyzed interesterification *EUROPEAN JOURNAL OF LIPID SCIENCE AND TECHNOLOGY*, 2000, 102, (3) 202-211.
475. Rezanka, T Analysis of very long chain polyunsaturated fatty acids using high-performance liquid chromatography - atmospheric pressure chemical ionization mass spectrometry, *BIOCHEMICAL SYSTEMATICS AND ECOLOGY* 2000, 28 (9) 847-856.
476. Perona, JS., Ruiz-Gutierrez, V., Barron, LJR., Highperformance liquid chromatography in the separation of triglycerides from complex animal fats *GRASAS Y ACEITES*, Review, 1999, 50 (4) 298-311.
477. Ruan, BF. Wilson, WK., Pang, JH., Schroepfer, GJ., Synthesis of [3 alpha-H-3]cholesta-5,8-dien-3 beta-ol and tritium-labeled forms of other sterols of potential importance in the Smith-Lemli-Optiz syndrome *STEROIDS* DT Article PY 2000 PD JAN VL 65 IS 1 BP 29 EP 39.
478. Flieger, J., Szumilo, H., The structure and chromatographic behavior of silica gel modified with metal salts *JPC-JOURNAL OF PLANAR CHROMATOGRAPHY-MODERN TLC* DT Article PY 1999 PD SEP-OCT VL 12 IS 5 BP 320 EP 327.
479. Lin, JT Snyder, LR McKeon, TA Prediction of relative retention times of triacylglycerols in non-aqueous reversed-phase high-performance liquid chromatography *JOURNAL OF CHROMATOGRAPHY A* (1998), 808, 43-49.
480. Ovesen, L., Leth, T., Hansen, K Fatty acid composition of Danish margarines and shortenings, with special emphasis on trans fatty acids *LIPIDS* (1996), 31, 971-975.
481. DOBSON, G., CHRISTIE, WW., BRECHANY, EY., SEBEDIO, JL., LEQUERE, JL SILVER ION CHROMATOGRAPHY AND GAS-CHROMATOGRAPHY MASS-SPECTROMETRY IN THE STRUCTURAL-ANALYSIS OF CYCLIC DIENOIC ACIDS FORMED IN FRYING OILS, *CHEMISTRY AND PHYSICS OF LIPIDS*, 1995, 75 171-182.
482. Andrey B. Imbs, Svetlana A. Rodkina, Isolation of 2-methyl branched unsaturated very long fatty acids from marine sponge *Halichondria panicea* and identification of them by GC-MS and NMR, *Chemistry and Physics of Lipids* 129 (2004) 173–181.

483. R. Adlof, G. List Analysis of triglyceride isomers by silver-ion high-performance liquid chromatography Effect of column temperature on retention times *Journal of Chromatography A*, 1046 (2004) 109–113.
484. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, 106 (2004) 621-648.
485. Chen ML, Vali SR, Lin JY, Ju YH Synthesis of the structured lipid 1,3-dioleoyl-2-palmitoylglycerol from palm oil *JOURNAL OF THE AMERICAN OIL CHEMISTS SOCIETY* 81 (6): 525-532 JUN 2004
486. Batrakov SG, Konova IV, Sheichenko VI, Esipov SE, Galanina LA, Istratova LN, Sergeeva YE, Lipids of the zygomycete *Absidia corymbifera* F-965, *PHYTOCHEMISTRY* 65 (9): 1239-1246 MAY 2004.
487. Serguei I. Kiyashko, Andrey B. Imbs, Tetsuya Narita, Vassilii I. Svetashev and Eitaro Wada, Fatty acid composition of aquatic insect larvae *Stictochironomus pictulus* (Diptera: Chironomidae): evidence of feeding upon methanotrophic bacteria, *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology* Volume 139, Issue 4, December 2004, Pages 705-711.
488. Kuksis, A., Itabashi, Y., Regio- and stereospecific analysis of glycerolipids *Methods* Volume 36, Issue 2 SPEC. ISS., June 2005, Pages 172-185,
489. J.-W. Liu, Y.-S. Huang, Separation and quantitation of polyunsaturated fatty acids and eicosanoids by HPLC, in *HPLC of Acyl Lipids*, J.-T. Lin and Th. A. McKeon, eds., HNB Publishing, 2005, pp. 117-166.
490. Santos, S., Graca, J., Glycerol- $\omega$ -hydroxyacid-ferulic acid oligomers in cork suberin structure, *Holzforschung*, Volume 60, Issue 2, 1 March 2006, Pages 171-177.
491. P. Laakso, P. Manninen, Mass spectrometric techniques in the analysis of triacylglycerols, in *Spectral Properties of Lipids*, R. J. Hamilton, J. Cast, eds, Sheffield Academic Press, sheffield, 1999, pp. 141-190.
492. W. W. Christie, Composition and structure of milk lipids, in *Advances in Dairy Chemistry*, vol. 2: Lipids, Chapman & Hall, London, 1995, pp 1-36.
493. B. Fried, Lipids, in *Handbook of Thin Layer Chromatography*, J. Sherma and B. Fried, eds, Marcel Dekker, 2003. pp 635-670.
494. Destailats, F., Golay, P.-A., Joffre, F., de Wispelaere, M., Hug, B., Giuffrida, F., Fauconnot, L., Dionisi, F., Comparison of available analytical methods to measure trans-octadecenoic acid isomeric profile and content by gas-liquid chromatography in milk fat, *Journal of Chromatography A* Volume 1145, Issue 1-2, 23 March 2007, Pages 222-228.
495. Adlof R., Analysis of triacylglycerol and fatty acid isomers by low-temperature silver-ion high performance liquid chromatography with acetonitrile in hexane as solvent: Limitations of the methodology, *Journal of Chromatography A*, 1148 (2007) 256–259.
496. Treschow, A.P., Hodges, L.D., Wright, P.F.A., Wynne, P.M., Kalafatis, N., Macrides, T.A., Novel anti-inflammatory  $\omega$ -3 PUFAs from the New Zealand green-lipped mussel, *Perna canaliculus*, *Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology* Volume 147, Issue 4, August 2007, Pages 645-656
497. DG Corley, SG Zeller, JP Doom, KL Duffin, Process for separating a triglyceride comprising a docosahexaenoic acid residue from a mixture of triglycerides, US Patent 6,399,803, 2002.
498. Juanéda, P., Ledoux, M., Sébédio, J.-L., Analytical methods for determination of trans fatty acid content in food, *European Journal of Lipid Science and Technology*, Volume 109, Issue 9, 2007, Pages 901-917.
499. Rezanka, T., Sigler, K., The use of atmospheric pressure chemical ionization mass spectrometry with high performance liquid chromatography and other separation

- techniques for identification of triacylglycerols, *Current Analytical Chemistry* Volume 3, Issue 4, October 2007, Pages 252-271
500. Christie, W.W., Dobson, G., Adlof, R.O., A practical guide to the isolation, analysis and identification of conjugated linoleic acid, *Lipids* Volume 42, Issue 12, December 2007, Pages 1073-1084.
501. Delmonte P. J.K.G.Kramer, M.P.Yurawecz, Analysis of *trans* 18:1 fatty acids by Ag-HPLC, pp 191-204, in *Lipid Analysis and Lipidomics*, ed. MM. Mossoba, J.K.G.Kramer, J.T.Brenna, R.E.McDonald, Published 2006 AOCS Press.
502. Guncheva, M., Zhiryakova, D., Radchenkova, N., Kambourova, M, Acidolysis of tripalmitin with oleic acid catalyzed by a newly isolated thermostable lipase, *AOCS, Journal of the American Oil Chemists' Society*, **85** (2008) pp. 129-132.
503. Yong, K.W.L., Jankam, A., Hooper, J.N.A., Suksamrarn, A., Garson, M.J., Stereochemical evaluation of sesquiterpene quinones from two sponges of the genus *Dactylospongia* and the implication for enantioselective processes in marine terpene biosynthesis, 2008, *Tetrahedron*, **64** (27) pp. 6341-6348.
504. S. D. Sherrod, A. J. Diaz, W. K. Russell, P. S. Cremer and D. H. Russell, Silver nanoparticles as selective ionization probes for analysis of olefins by mass spectrometry, *Anal.Chem.* **80** (2008) 6796-6799.
505. E. T. Castellana, S. D. Sherrod and D. H. Russell, Nanoparticles for Selective Laser Desorption/Ionization in Mass Spectrometry, *JALA - Journal of the Association for Laboratory Automation*, **13**, 2008, 330-334.
506. Samulin, J., Berget, I., Grindflek, E., Lien, S., Sundvold, H., Changes in lipid metabolism associated gene transcripts during porcine adipogenesis, *Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology*, **153** (1) 2009 pp. 8-17.
507. Guncheva, M., Zhiryakova, D., Radchenkova, N., Kambourova, M., Properties of immobilized lipase from *Bacillus stearothermophilus* MC7. Acidolysis of triolein with caprylic acid, *World Journal of Microbiology and Biotechnology* Volume 25, Issue 4, April 2009, Pages 727-731.
508. Ruiz-Rodriguez, A.Reglero, G.Ibañez, E., Recent trends in the advanced analysis of bioactive fatty acids, *Journal of Pharmaceutical and Biomedical Analysis*, **51**, Issue 2, 2010, 305-326.
509. Wolhowe, M.D., Prahl, F.G., Probert, I., Maldonado, M, Growth phase dependent hydrogen isotopic fractionation in alkenone-producing haptophytes, *Biogeosciences*, 2009, **6** (8) pp. 1681-1694.

**B.Nikolova-Damyanova, W.W.Christie and B.G.Herslof, *J. Chromatogr. A*, 694 (1995) 375-380.**

510. R.O.Adlof, in *New Techniques and Applications in Lipid Analysis* (R.E.McDonald and M.M.Mossoba, eds.) AOCS Press, Campaign, Illinois, 1997, pp. 256-265.
511. Wolff-RL, Comments on the Methodology for the Separation and Quantitation of Cis-6 (Petroselinic) and Cis-9 (Oleic) 18/1 Acids, *JOURNAL OF THE AMERICAN OIL CHEMISTS SOCIETY*, 1998, **75**, Iss 7, pp 893-894.
512. Vereshchagin Andrei G., Vasily P. Pchelkin, Silver ion liquid-chromatographic mobility of plant diacylglycerols as a function of their composition and spatial arrangement *J. Chromatogr. A*, Aug 23, 2002, vol. 967, N2, p.269-278.
513. Kirstin Winkler, Vorkommen und Charakterisierung konjugierter Fettsäure-Isomere in Lebensmitteln und humanen Gewebearten, Dissertation, Institut für Biochemie und

- Lebensmittelchemie - Abteilung Lebensmittelchemie -der Universität Hamburg, Hamburg 2002.
514. Rainer Rickert, Konjugierte Linolsäureisomere (CLA) in biologischen Matrices, Dissertation, Universität Hamburg, Hamburg 2002.
515. Andrikopoulos N.K., Triglyceride species composition of common edible vegetable oils and methods for their identification and quantification *Food Review Int.*, 18 (1) 71-102 (2002).
516. Andrikopoulos N.K. Chromatographic and spectroscopic methods in the analysis of triacylglycerol species and regiospecific isomers of oils and fats *Critical Reviews in Food Science and Nutrition*, 42 (5) 473-505 (2002).
517. Andrikopoulos NK, Giannakis IG, Tzamtzis V Analysis of olive oil and seed oil triglycerides by capillary gas chromatography as a tool for the detection of the adulteration of olive oil *J CHROMATOGR SCI* 39 (4): 137-145 APR 2001.
518. Tomoko AOKI, Ikuko OTAKE, Naohiro GOTOH<sup>1</sup>, Noriko NOGUCHI<sup>1</sup> and Shun WADA Quantification Method for Triglyceride Molecular Species in Fish Oil with High Performance Liquid Chromatography-Ultraviolet Detector *J. Oleo Sci.*, Vol.53, No.6, 285-294 (2004)
519. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, 106 (2004) 621-648.
520. Vereshchagin, AG, Pchelkin, VP Thin-layer chromatography of coordination Ag<sup>+</sup>-complexes of plant diacylglycerols, *RUSSIAN JOURNAL OF BIOORGANIC CHEMISTRY* 2003 29 (1) 73-79.
521. Lisa, M., Holčapek, M. Triacylglycerols profiling in plant oils important in food industry, dietetics and cosmetics using high-performance liquid chromatography-atmospheric pressure chemical ionization mass spectrometry, *Journal of Chromatography A* Volume 1198-1199, Issue 1-2, 11 July 2008, Pages 115-130
522. François, I., Sandra, P., Comprehensive supercritical fluid chromatography × reversed phase liquid chromatography for the analysis of the fatty acids in fish oil *Journal of Chromatography A*, **1216** (18) 2009 pp. 4005-4012.

**B.Nikolova-Damyanova, W.W.Christie and B.G.Herslof, J. Chromatogr. A, 749 (1996) 47-54**

523. R.O.Adlof, in *New Techniques and Applications in Lipid Analysis* (R.E.McDonald and M.M.Mossoba, eds.) AOCS Press, Campaign, Illinois, 1997, pp. 256-265.
524. Lie Ken Jie M.S.F. and Khysar Pasha M., Fatty acids, fatty acid analogues and their derivatives, *Natural Products Review*, 1998, 607-629
525. Viron C., Andre P., Dreux M., Lafosse M., Evaluation of Porous Graphitic Carbon as Stationary-Phase for the Analysis of Fatty-Acid Methyl-Esters by Liquid-Chromatography, *CHROMATOGRAPHIA* 1999, Vol **49**, Iss 3-4, pp 137-141.
526. Correa R.A., Ferraz V., Medvedovici A., Sandra P., Cerne K., David F., Positional and configurational separation of fatty acid isomers by micro reversed-phase liquid chromatography with an Ag<sup>+</sup> -containing mobile phase, *J. Chromatogr. A*, 848 (1999) 83-93
527. Poole CF Progress in packed column supercritical fluid chromatography: materials and methods *J BIOCHEM BIOPH METH* 43: (1-3) 3-23 JUL 5 2000
528. Rentel C, Gfrorer P, Bayer E Coupling of capillary electrochromatography to coordination ion spray mass spectrometry, a novel detection method *ELECTROPHORESIS* 20: (12) 2329-2336 AUG 1999.

529. Cross F.R., Widman H.A., Ag-HPLC of conjugated linoleic acids on a silica-based stationary phase, Part I: Introduction, experimental, and retention patterns., *J. Sep. Sci.*, 25 (2002) 239-244.
530. E.S. Lima, D.S.P. Abdalla High-performance liquid chromatography of fatty acids in biological samples *Analytica Chimica Acta* 465 (2002) 81–91.
531. Shan Hui, Wilson W. K., Ternary gradient elution markedly improves silver-ion high performance liquid chromatography of unsaturated sterols, *Steroids* 67 (2002) 917–923.
532. Cross R.F., Zackari H., Ag-HPLC-HPLC of conjugated linoleic acids on a silica based stationary phase. Part III: Model compounds. *J. Sep. Sci.*, 25 (2002) 897-903.
533. Carrier A, Parent J Liquid chromatography-mass spectrometry determination of free fatty acids in phospholipid-based formulations, *LIQ CHROMATOGR R T* 24 (1): 97-107 2001
534. Ozawa I, Kim M, Saito K, et al. Purification of docosahexaenoic acid ethyl ester using a silver-ion-immobilized porous hollow-fiber membrane module *BIOTECHNOL PROGR* 17 (5): 893-896 SEP-OCT 2001
535. Kim SJ, Woo HK, Seo MY, et al. Analysis of fatty acids in puffer fish liver oils by combined chromatographic procedures - Resolution of fatty acid methyl esters by Ag<sup>+</sup>-chromatography and their identification by GC-MS using 4,4-dimethyloxazoline derivatives *FOOD SCI BIOTECHNOL* 12 (4): 326-336 AUG 2003.
536. Isaac G., Development of enhanced analytical methodology for lipid analysis from sampling to detection, Dissertation, Faculty of Science and Technology, Upsala University, 2005.
537. Dugo Paola, Tiina Kumm, Biagina Chiofalo, Antonella Cotroneo, Luigi Mondello, Separation of triacylglycerols in a complex lipidic matrix by using comprehensive two-dimensional liquid chromatography coupled with atmospheric pressure chemical ionization mass spectrometric detection, *J. Sep. Sci.* 2006, 29, 1146 – 1154.
538. Thompson, R.Q. , Pennino, M.J., Brenner, M.J., Mehta, M.A., Isolation of individual capsaicinoids from a mixture and their characterization by <sup>13</sup>C NMR spectrometry, *Talanta Volume 70, Issue 2, 15 September 2006, Pages 315-322.*
539. C.Cruz-Hernandes and J.K.G.Kramer, Analysis of total milk fat, In: *Inovation in Lipid Science*, R.J.Weselake, ed., CRC Press, AOCA Press, Boca Raton, 2008, pp. 183-214.
540. Levandovskiy IA, Shubina TE, Fokin AA, Computational and QSAR study of the alkylnaphthyl ketones adsorption on silver-ion stationary phase, *JOURNAL OF MOLECULAR MODELING*, 16 (3) 513-522 (2010)

**B.Nikolova-Damyanova, W.W.Christie, B.Herslof, J. Chromatogr., 653 (1993) 15-23.**

541. S.K.C.Chang, E.Holm, J.Schwarz, P.Rayas-Duarte, Food, *Anal. Chem.*, 67 (1995) 127R-153R
542. Correa R.A., Ferraz V., Medvedovici A., Sandra P., Cerne K., David F., Positional and configurational separation of fatty acid isomers by micro reversed-phase liquid chromatography with an Ag<sup>+</sup> -containing mobile phase, *J. Chromatogr. A*, 848 (1999) 83-93
543. Pchelkin VP Estimation of the equivalent lipophily of acyls in reversed-phase chromatography of unsaturated lipids in the presence of silver salts, *Russ J Phys Ch* 74: (4) 625-631 APR 2000
544. Chen SH, Chen KC, Lien HM Determination of fatty acids in vegetable oil by reversed-phase liquid chromatography with fluorescence detection *J CHROMATOGR A* 849: (2) 357-369 JUL 23 1999.

545. Vereshchagin Andrei G., Vasily P. Pchelkin Silver ion liquid-chromatographic mobility of plant diacylglycerols as a function of their composition and spatial arrangement *J. Chromatogr. A*, Aug 23, 2002, vol. 967, N2, p.269-278.
546. Evstigneeva RP, Pchelkin VP Parameters of the coordination complexes of esterified polyunsaturated fatty acids with silver ions *DOKL CHEM* 381 (4-6): 366-368 DEC 2001
547. Chen SH, Chuang YJ Analysis of fatty acids by column liquid chromatography *ANAL CHIM ACTA* 465 (1-2): 145-155 AUG 16 2002
548. Pchelkin VP Hydrophobicity of coordination complexes of unsaturated lipids with silver ions *RUSS J PHYS CHEM+* 77 (9): 1467-1472 SEP 2003
549. Vereshchagin, AG, Pchelkin, VP Thin-layer chromatography of coordination Ag<sup>+</sup>-complexes of plant diacylglycerols, *RUSSIAN JOURNAL OF BIOORGANIC CHEMISTRY*, 2003 29 (1) 73-79.
550. Thompson, R.Q. , Pennino, M.J., Brenner, M.J., Mehta, M.A., Isolation of individual capsaicinoids from a mixture and their characterization by <sup>13</sup>C NMR spectrometry, *Talanta* 70, (2) 2006, 315-322.
551. Leskinen, H.M., Suomela, J.-P., Baoru, Y., Kallio, H.P., Regioisomer compositions of vaccenic and oleic acid containing triacylglycerols in sea buckthorn (*hippophæ rhamnoides*) pulp oils: Influence of origin and weather conditions, *Journal of Agricultural and Food Chemistry*, **58** (1) pp. 537-545 (2010).

**B.Nikolova-Damyanova, N.Handjieva, QUANTITATIVE DETERMINATION OF SWERIAMARIN AND GENTIOPICOSIDE IN CENTAURIUM ERYTHREA AND C. TURCICUM BY DENSITOMETRY, *Phytochemical Analysis*, 7, 140-142 (1996).**

552. Kumarasamy Y, Nahar L, Cox PJ, Jaspars M, Sarker SD Bioactivity of secoiridoid glycosides from *Centaurium erythraea* *PHYTOMEDICINE* 10 (4): 344-347 MAY 2003
553. Gocan, S Cimpan, G Review of the analysis of medicinal plants by TLC: Modern approaches, *JOURNAL OF LIQUID CHROMATOGRAPHY & RELATED TECHNOLOGIES* 27 2004 (7-9) 1377-1411
554. M.Wichtel, *Herbal Drugs and Pharmaceuticals*, CRC Inc, Boca Raton, 2005, p. 126.

**B.Nikolova-Damyanova, S.Momchilova, W.W.Christie, *Phytochem. Analysis*, 7 (1996) 136-139.**

555. J.Sherma, Planar Chromatography, *Anal. Chem.*, 70 (1998) 7.R-26R.
556. Lie Ken Jie M.S.F. and Khysar Pasha M., Fatty acids, fatty acid analogues and their derivatives, *Natural Products Review*, 1998,607-629.
557. Sherma J Thin-layer chromatography in food and agricultural analysis *CHROMATOGR A* 880: (1-2) 129-147 JUN 2 2000
558. E.S. Lima, D.S.P. Abdalla, High-performance liquid chromatography of fatty acids in biological samples *Analytica Chimica Acta* 465 (2002) 81-91.
559. A.Niestroj, A.Pyka, J.Sliwiok, The use of topological indexes to predict the R-M values of higher fatty acids, hydroxy fatty acids, and their esters in RPTLC, *JPL-J. Planar Chromatogr.*, **15/3** (2002) 177-182.
560. J.Reichling, E.M.Calatu, Chemical composition of the genus *Pimpinella*, in *Illicium, Pimpinella and Foeniculum*, M.Miro Jordal, ed, CRC Inc, Boca Raton, 2004.

**B. Nikolova-Damyanova, Reversed-phase HPLC: principles and application to the analysis of fatty acids and triacylglycerols, in *Advances in Lipid Methodology - Four*, W.W.Christie, ed, The Oily Press, Dundee, 1997.**

561. Christie, W.W., Gas-chromatography-mass spectrometry, methods for structural analysis of fatty acids -*Lipids*,33 (4)(1998) 343-353.
562. W.W.Christie, Analysis of fatty acids by high performance liquid chromatography, *Lipid Technology*, 9 (1997).
563. J-T., L.R.Snyder, T.A.McKeon, Prediction of retention times of triacylglycerols in non-aqueous reversed-phase high-performance liquid chromatography,*J. Chromatogr. A*, 808 (1998) 43-49.
564. W.W.Christie, Some recent advances in the chromatographic analysis of lipids, *Analisis*, 26 (1998) 34-40.
565. Mu H. Kalo P., Xu X. Hoy C.-E., Chromatographic methods in the monitoring of lipase-catalyzed intersterification, *Eur.J. Lipid Sci. Technol.*, 2000, 202-211.
566. Alain Carrier, Jose Parent, LIQUID CHROMATOGRAPHY-MASS SPECTROMETRY DETERMINATION OF FREE FATTY ACIDS IN PHOSPHOLIPID-BASED FORMULATIONS, *J. Liq. Chromatogr. & Rel. Technol.*, 24, (2001).
567. Lin J.T., McKeon T.A., High performance liquid chromatography of the molecular species of lipid classes used for metabolic studies,*Recent Res. Devel. Lipids Res.*, 3 (1999) 87-95.
568. Mu Huiling , Carl-Erik Høy, Application of atmospheric pressure chemical ionization liquid chromatography–mass spectrometry in identification of lymph triacylglycerols, *Journal of Chromatography B*, 748 (2000) 425–437.
569. Christie W.W., *LIPID ANALISIS*, The Oily Press, 2003.
570. Lin J.T., McKeon T.A., Relative retention times 2003
571. Lin, JT, Snyder, LR, McKeon, TA, Prediction of relative retention times of triacylglycerols in non-aqueous reversed-phase high-performance liquid chromatography *JOURNAL OF CHROMATOGRAPHY A* (1998) 808 (1-2) 43 - 49
572. Tomoko AOKI<sup>1</sup>, Ikuko OTAKE<sup>1</sup>, Naohiro GOTOH<sup>1</sup>, Noriko NOGUCHI<sup>2</sup>) and Shun WADA<sup>1</sup> Quantification Method for Triglyceride Molecular Species in Fish Oil with High Performance Liquid Chromatography-Ultraviolet Detector,*J.Oleo Sci.*, Vol.53, No.6, 285-294 (2004)
573. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, 106 (2004) 621-648.
574. J.-W. Liu, Y.-S. Huang, Separation and quantitation of polyunsaturated fatty acids and eicosanoids by HPLC, in *HPLC of Acyl Lipids*, J.-T.Lin and Th. A. McKeon, eds., HNB Publishing, 2005, pp. 117-166.
575. J.-T.Lin and Th. A. McKeon, Separation of the intact molecular species of acylglycerols by HPLC, in *HPLC of Acyl Lipids*, J.-T.Lin and Th. A. McKeon, eds., HNB Publishing, 2005, pp. 199-220.
576. Wolff RL, Christie WW, Pedrono F, Marpeau AM, Arachidonic, eicosapentaenoic, and biosynthetically related fatty acids in the seed lipids from a primitive gymnosperm, *Agathis robusta*, *LIPIDS* 34 (10): 1083-1097 OCT 1999
577. Maloumbi, M.G., Dhellot, J., Silou, T., Tchaplal, A., Héron, S., New methodology for quantitative analysis of triacylglycerols from oils and fats using RPLC. (Application to cucurbitaceae oils characterization by statistical analysis),*OCL - Oleagineux Corps Gras Lipides*, 15 (3), 2008, pp. 213-218.
578. Atanasov, V., Petrova, S., Mitewa, M., HPLC assay of phospholipase A<sub>2</sub> activity using low-temperature derivatization of fatty acids,*Analytical Letters* , 42, Issue 10, 2009, 1341-1351.

579. Namdeo, A.G., Sharma, A., Fulzele, D.P., Mahadik, K.R., Influence of geographical and climatic conditions on camptothecin content of *Nothapodytes nimmoniana* *Records of Natural Products* 4 (1), 2010, 64-71.
580. Vrkoslav, V., Urbanová, K., Cvačka, J. Analysis of wax ester molecular species by high performance liquid chromatography/atmospheric pressure chemical ionisation mass spectrometry, *Journal of Chromatography A* 1217 (25) 2010, pp. 4184-4194.
581. Heron, S., Maloumbi, M.G., Silou, T., Verette, E., Dreux, M., Tchaplá, A., Calibration of an evaporative light-scattering detector for the universal quantitative analyses in liquid chromatography-Application to the determination of triacylglycerols in cucurbitaceous oils, *Food Analytical Methods*, 3 (2) 2010, pp. 67-74.

**S.Momchilova, B.Nikolova-Damyanova, W.W.Christie, J. Chromatogr. A, 793 (1998) 275.**

582. Jeong Jun Han, Yugo Iwasaki, Tsumeo Yamane, Use of Isopropanol as a modifier in a hexane-acetonitrile based mobile phases for the silver ion HPLC separation of positional isomers of triacylglycerols containing long chain polyunsaturated fatty acids. *J. High Resol. Chromatogr.*, **22**(2) 357-361 (1999).
583. R.F.Cross, E.Ostrowska, M.Muralitharan, F.R.Dunshea, Mixed mode retention and the use of competing acid for the Ag-HPLC analysis of underivatized conjugated linoleic acids, *J. High Res. Chromatogr.* 23 (2000) 317-323.
584. Czauderna M, Kowalczyk J., Separation of some mono-, di- and tri-unsaturated fatty acids containing 18 carbon atoms by high-performance liquid chromatography and photodiode array detection, *J. Chromatogr. B* 760(1) 165-78 (2001)
585. Czauderna M, Kowalczyk J., Chojecki, An improved method for derivatization of fatty acids for liquid chromatography, *J. Anim. Feed. Sci.*, 10: 369-75, Supl. 2 (2001)
586. Brondz, I. Development of fatty acid analysis by high-performance liquid chromatography, gas chromatography, and related techniques, *Anal. Chim. Acta.*, 465 (2002) 1-37.
587. Marekov Ilko, Roumyana Tarandjiiska, Svetlana Panayotova, and Nelly Nikolova, Evaluation of Argentation TLC-Densitometry for the Determination of *trans* Fatty Acids in Butterfat, *J. Planar Chromatogr.*, **14** (2001), 384-390
588. Cross R.F., Zackari H., Ag-HPLC-HPLC of conjugated linoleic acids on a silica based stationary phase. Part III: Model compounds. *J.Sep. Sci.*, 25 (2002) 897-903.
589. Czauderna M., J. Kowalczyk, I. Wasowska and K.M. Niedźwiedzka, Determination of conjugated linoleic acid isomers by liquid chromatography and photodiode array detection, *Journal of Animal and Feed Sciences*, 12, 2003, 369-382
590. Baggett, S., Protiva, P., Mazzola, E.P., Yang, H., Ressler, E.T., Basile, M.J., Weinstein, I.B., Kennelly, E.J., Bioactive benzophenones from *Garcinia xanthochymus* fruits, *Journal of Natural Products*, Volume 68, Issue 3, March 2005, Pages 354-360.
591. Silva, F.O., Ferraz, V., Double use of microwaves in fatty acid preparation for elaidic acid determination as phenacyl ester using high-performance liquid chromatography in Brazilian fat products, *Talanta* Volume 68, Issue 3, 15 January 2006, Pages 643-645
592. Evstigneeva, R.P., Pchelkin, V.P., Ligands of biologically active compounds in the nanochemistry of silver and gold (a review), *Pharmaceutical Chemistry Journal* Volume 40, Issue 4, April 2006, Pages 211-221
593. P.E.McDonalds, M.M.Mossoba, Methods for *trans* fatty acid analysis, in *Food Lipids*, C.C.Akoh, D.b.Min, eds, Marcel Dekker, New York, 2002, pp. 169-204.
594. Destailats, F., Golay, P.-A., Joffre, F., de Wispelaere, M., Hug, B., Giuffrida, F., Fauconnot, L., Dionisi, F., Comparison of available analytical methods to measure *trans*-

- octadecenoic acid isomeric profile and content by gas-liquid chromatography in milk fat, *Journal of Chromatography A* Volume 1145, Issue 1-2, 23 March 2007, Pages 222-228.
595. Moradali, M.-F., Mostafavi, H., Ghods, S., Hejaroude, G., Investigation of antimicrobial fatty acids from medicinal artist conk mushroom *Ganoderma applanatum* (Pers.) Pat. (Aphyllorphoromycetideae) by TLC and spectroscopic detection, *International Journal of Medicinal Mushrooms*, 2008, **10** (2) pp. 149-154.
596. Delmonte, P., Kia, A.-R.F., Qing, H., Rader, J.I., Review of methods for preparation and gas chromatographic separation of trans and cis reference fatty acids, *Journal of AOAC International*, **92** (5), 2009, pp. 1310-1326.
597. Villegas, C., Zhao, Y., Curtis, J.M., Two methods for the separation of monounsaturated octadecenoic acid isomers, *Journal of Chromatography A*, **1217** (5) pp. 775-784 (2010).

**Nikolova-Damyanova, B., JOURNAL OF LIQUID CHROMATOGRAPHY & RELATED TECHNOLOGIES 22: (10) 1513-1537 1999.**

598. Sherma J Planar Chromatography, *ANAL CHEM* 72: (12) 9R-25R JUN 15 2000.
599. Christie W.W., *LIPID ANALYSIS* Third Edition, , The Oily Press, 2003.
600. Flieger J, Szumilo H, Gielzak-Kocwin K, Matosluk D. Effect of impregnation conditions on the structure and chromatographic behavior of TLC adsorbents modified with Cu(II) and Ni(II) salts *JPC-J PLANAR CHROMAT* 15 (5): 354-360 SEP-OCT 2002
601. Flieger J, Szumilo H, Tatarczak M, Matosiuk D Effect of impregnation of silica gel with different zinc salts on the TLC behavior of aromatic hydrocarbons with polar groups *JPC-J PLANAR CHROMAT* 17 (1): 65-71 JAN-FEB 2004.
602. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, 106 (2004) 621-648.
603. Cvačka, J., Hovorka, O., Jiroš, P., Kindl, J., Stránský, K., Valterová, I., Analysis of triacylglycerols in fat body of bumblebees by chromatographic methods, *Journal of Chromatography A*, Volume 1101, Issue 1-2, 6 January 2006, Pages 226-237
604. F.M.Rabel, Sorbents and precoated layers in thin layer chromatography, in *Hanbook of Thin Layer Chromatography*, J.Sherma and B.Fried, eds, Marcel Dekker, 2003. pp. 99-134.
605. B.Fried, Lipids, in *Hanbook of Thin Layer Chromatography*, J.Sherma and B.Fried, eds, Marcel Dekker, 2003. pp 635-670.

**B. Nikolova-Damyanova, Sv. Momchilova, W.W.Christie, J. High Resol. Chromatogr. 23 (2000) 348-352.**

606. Yurawecz M.P., Morehouse K.M., Silver ion HPLC of conjugated linoleic acid isomers, *Eur. J. Lipid Sci. Technol.*, 103 (2001) 609-613.
607. Roach John A.G., Magdi M. Mossoba, M. Peter Yurawecz , John K.G. Kramer, Chromatographic separation and identification of conjugated linoleic acid isomers, *Analytica Chimica Acta* 465 (2002) 207-226.
608. Rainer Rickert, Konjugierte Linolsäureisomere (CLA) in biologischen Matrices, Dissertation, Universität Hamburg, Hamburg 2002.
609. Kirstin Winkler, Vorkommen und Charakterisierung konjugierter Fettsäure-Isomere in Lebensmitteln und humanen Gewebearten, Dissertation, Institut für Biochemie und Lebensmittelchemie - Abteilung Lebensmittelchemie -der Universität Hamburg, Hamburg 2002.

610. Cross R.F., Zackari H., Ag-HPLC-HPLC of conjugated linoleic acids on a silica-based stationary phase. Part III: Model compounds. *J. Sep. Sci.*, 25 (2002) 897-903.
611. G. Carta, E. Angioni, E. Murru, M. P. Melis, S. Spada and S. Banni, Modulation of lipid metabolism and vitamin A by conjugated linoleic acid. *Prostag. Leukotr. Ess.*, 67 (2002), 187-191.
612. Jensen RG, The composition of bovine milk lipids: January 1995 to December 2000. *DAIRY SCI* 85 (2): 295-350 FEB 2002.
613. Delmonte P, Yurawecz MP, Mossoba MM, Cruz-Hernandez C, Kramer JKG, Improved identification of conjugated linoleic acid isomers using silver-ion HPLC separations, *JOURNAL OF AOAC INTERNATIONAL* 87 (2): 563-568 MAR-APR 2004
614. R.O.Adlof, Application of Silver-Ion Chromatography to the Separation of Conjugated Linoleic Acid Isomers, in *Advances in Conjugated Linoleic Acid Research, Vol. 2*, Eds. J.-L. Sebedio, W.W. Christie and R. Adlof, AOCS Press, Champaign, IL, 2003, pp. 37-55.
615. CRUZ-HERNANDEZ, C., ZEYUAN DENG, JIANQIANG ZHOU, ARTHUR R. HILL, MARTIN P. YURAWECZ, PIERLUIGI DELMONTE, MAGDI M. MOSSOBA, MICHAELE R. DUGAN, JOHN K.G. KRAMER, Methods for Analysis of Conjugated Linoleic Acids and trans-18:1 Isomers in Dairy Fats by Using a Combination of Gas Chromatography, Silver-Ion Thin-Layer Chromatography/Gas Chromatography, and Silver-Ion Liquid Chromatography, *JOURNAL OF AOAC INTERNATIONAL* VOL. 87, NO. 2, 2004, 545 – 562
616. P. Juaneda, O. Cordier, S. Gregoire, J.-L. Sebedio, Conjugated linoleic acid (CLA) isomers in heat-treated vegetable oils, *OCL - Oleagineux Corps gras Lipides*, 8 (1) (2001), 94-97.
617. J.K.G. Kramer, C. Cruz-Hernandez, Z.Y. Deng, J.Q. Zhou, G. Jahreis, M.E.R. Dugan, Analysis of conjugated linoleic acid and trans 18:1 isomers in synthetic and animal products, *Am. J. Clin. Nutr.*, 79/6 (2004), 1137S-1145S.
618. de la Fuente, M.A., Luna, P., Juárez, M., Chromatographic techniques to determine conjugated linoleic acid isomers, *TrAC - Trends in Analytical Chemistry* Volume 25, Issue 9, October 2006, Pages 917-926.
619. Gary Dobson, Analysis of Fatty Acids in Functional Foods with Emphasis on omega3 Fatty Acids and Conjugated Linoleic Acid, in: *Methods of Analysis for Functional Foods and Nutraceuticals*, Ed. W. Jeffrey Hurst, CRC Press, USA, 2002, pp. 65-100.
620. Juanéda, P., Ledoux, M., Sébédio, J.-L., Analytical methods for determination of trans fatty acid content in food, *European Journal of Lipid Science and Technology*, Volume 109, Issue 9, 2007, Pages 901-917.

**B. Nikolova-Damyanova, R. Velikova, G. Jham, FOOD RES INT 31, 479, 1998.**

621. Gonzales AG, Pablos F, Martin MJ et al., HPLC analysis of tocopherols and triglycerides in coffee and their use as authentication parameters, *Food Chem.* 73(1) 93-101 (2001).
622. Andrikopoulos N.K., Triglyceride species composition of common edible vegetable oils and methods for their identification and quantification *Food Review Int.*, 18 (1) 71-102 (2002).
623. Andrikopoulos N.K. Chromatographic and spectroscopic methods in the analysis of triacylglycerol species and regiospecific isomers of oils and fats, critical reviews in food *Science and Nutrition*, 42 (5) 473-505 (2002).

624. Vega-Carrillo HR, Iskander FY, Manzanares-Acuna E Elemental content in ground and soluble/instant coffee. *J RADIOANAL NUCL CH* 252 (1): 75-80 APR 2002.
625. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, 106 (2004) 621-648.
626. Rao, B.Y.K., Ahmad, R., Bhat, R., Bongirwar, D.R., Changes in lipid profile of Indian monsooned coffee, *Journal of Food Science and Technology* Volume 41, Issue 5, September 2004, Pages 570-573.
627. Yoshida, H., Tomiyama, Y., Kita, S., Mizushina, Y, Lipid classes, fatty acid composition and triacylglycerol molecular species of kidney beans (*Phaseolus vulgaris* L.), *European Journal of Lipid Science and Technology* Volume 107, Issue 5, 2005, Pages 307-315.
628. Yoshida, H., Tomiyama, Y., Kita, S., Mizushina, Y, Lipid classes, fatty acid composition and triacylglycerol molecular species of kidney beans (*Phaseolus vulgaris* L.), *European Journal of Lipid Science and Technology* Volume 107, Issue 5, 2005, Pages 307-315.
629. Oliveira, L.S., Franca, A.S., Mendonça, J.C.F., Barros-Júnior, M.C., Proximate composition and fatty acids profile of green and roasted defective coffee beans, *Food Science and Technology*, Volume 39, Issue 3, April 2006, Pages 235-239.
630. Speer, K., Kolling-Speer, I. The lipid fraction of the coffee bean, *Brazilian Journal of Plant Physiology* Volume 18, Issue 1, 2006, Pages 201-216.
631. Nebesny, E., Budryn, G., Convective and microwave roasting as well as storage of coffee in polyethylene bags: Changes in lipid fraction *Deutsche Lebensmittel-Rundschau* Volume 102, Issue 12, December 2006, Pages 547-554
632. Hiromi Yoshida, Megumi Tanaka, Yuka Tomiyama and Yoshiyuki Mizushina, Antioxidant Distributions and Triacylglycerol Molecular Species of Sesame Seeds (*Sesamum indicum*), *Journal of the American Oil Chemists' Society*, Volume 84, Number 2 / February, 2007, 165-172.
633. Vila, M.A., Andueza, S., De Peña, M.P., Cid, C., Fatty acid evolution during the storage of ground, roasted coffees, *JAOCS, Journal of the American Oil Chemists' Society* Volume 82, Issue 9, 2005, Pages 639-646.
634. Yoshida, H., Tomiyama, Y., Tanaka, M., Mizushina, Y., Characteristic profiles of lipid classes, fatty acids and triacylglycerol molecular species of peas (*Pisum sativum* L.), *European Journal of Lipid Science and Technology* Volume 109, Issue 6, 2007, Pages 600-607.
635. Yoshida, H. Tanaka, M. Tomiyama, Y. Mizushina, Y., Antioxidant distributions and triacylglycerol molecular species of sesame seeds (*Sesamum indicum*) *JAOCS, Journal of the American Oil Chemists' Society* Volume 84, Issue 2, February 2007, Pages 165-172.
636. Salmons, J., Dussert, S., Descroix, F., De Kochko, A., Bertrand, B., Joët, T. Deciphering transcriptional networks that govern *Coffea arabica* seed development using combined cDNA array and real-time RT-PCR approaches, *Plant Molecular Biology*, Volume 66, Issue 1-2, January 2008, Pages 105-124.
637. de Azevedo, A. B. A., Kieckbush, T. G., Tashima, A. K., Mohamed, R. S., Mazzafera, P., (de Melo, S. A. B. Vieira, Extraction of green coffee oil using supercritical carbon dioxide, *JOURNAL OF SUPERCRITICAL FLUIDS*, **44**, 186- 2008.
638. Delgado, P.A., Vignoli, J.A., Siika-aho, M., Franco, T.T., Sediments in coffee extracts: Composition and control by enzymatic hydrolysis, 2008, *Food Chemistry*, **110** (1) pp. 168-176.

**Sv.Momchilova, B.Nikolova-Damyanova, J. Liq. Chromatogr. & Rel. Technol., 23 (2000) 2303-2316**

639. E.S. Lima, D.S.P. Abdalla High-performance liquid chromatography of fatty acids in biological samples *Analytica Chimica Acta* 465 (2002) 81–91.
640. Cross R.F., Zackari H., Ag-HPLC-HPLC of conjugated linoleic acids on a silica based stationary phase. Part III: Model compounds. *J.Sep. Sci.*, 25 (2002) 897-903.
641. R.O.Adlof, Application of Silver-Ion Chromatography to the Separation of Conjugated Linoleic Acid Isomers, in *Advances in Conjugated Linoleic Acid Research, Vol.2*, Eds. J.-L.Sebedio, W.W.Christie and R.Adlof, AOCS Press, Champaign, IL, 2003, pp. 37-55.
642. Levandovskiy IA, Shubina TE, Fokin AA, Computational and QSAR study of the alkylnaphthyl ketones adsorption on silver-ion stationary phase, *JOURNAL OF MOLECULAR MODELING*, 16 (3) 513-522 (2010)

**Sv. Momchilova, B.Nikolova-Damyanova, J. Liq. Chromatogr. & Rel. Technol., 23 (2000) 2317-2325.**

643. Cross R.F., Zackari H., Ag-HPLC-HPLC of conjugated linoleic acids on a silica-based stationary phase. Part III: Model compounds. *J.Sep. Sci.*, 25 (2002) 897-903.
644. R.O.Adlof, Application of Silver-Ion Chromatography to the Separation of Conjugated Linoleic Acid Isomers, in *Advances in Conjugated Linoleic Acid Research, Vol.2*, Eds. J.-L.Sebedio, W.W.Christie and R.Adlof, AOCS Press, Champaign, IL, 2003, pp. 37-55.

**Sv.Momchilova, B.Nikolova-Damyanova, J.Liq.Chrom.&Rel.Technol., 23 (9), (2000), 1319-1330.**

645. S.H. Chen, Y.J. Chuang, Analysis of fatty acids by column chromatography *Analytica Chimica Acta*, 465 (2002), 145-155.
646. Bravo, B., Márquez, N., Ysambertt, F., Chávez, G., Cáceres, A., Bauza, R., Graciaa, A., Lachaise, J., Salager, J.L., Phase behavior of fatty acid/oil/water systems: Effect of the alkyl length chain acid, *Journal of Surfactants and Detergents* Volume 9, Issue 2, June 2006, Pages 141-146

**B.Nikolova-Damyanova, Sv.Momchilova, J. Liq. Chromatogr. & Rel. Technol., 24 (10) (2001), 1447-1466.**

647. M.A.L. de Oliveira, V.E.S. Solis, L.A. Gioielli, B. Polakiewicz, M.F.M. Tavares, Method development for the analysis of trans-fatty acids in hydrogenated oils by capillary electrophoresis, *Electrophoresis*, 24 (10) (2003), 1641-1647.
648. J.Sherma, Basic TLC, Techniques, Materials and Apparatus, in Handbook of Thin Layer chromatography, Chromatographic Series, vol. 89, Marcel Dekker, J.Sherma and B.Fried, eds., 2003, pp. 1-46
649. Halkina, T., Sherma, J. Determination of sterols and fatty acids in prostate health dietary supplements by silica gel high performance thin layer chromatography with visible mode densitometry, *Journal of Liquid Chromatography and Related Technologies* Volume 30, Issue 15, September 2007, Pages 2329-2335 .
650. S. D. Sherrod, A. J. Diaz, W. K. Russell, P. S. Cremer and D. H. Russell, Silver nanoparticles as selective ionization probes for analysis of olefins by mass spectrometry, *Anal.Chem.* 80 (2008) 6796-6799.

651. E. T. Castellana, S. D. Sherrod and D. H. Russell, Nanoparticles for Selective Laser Desorption/Ionization in Mass Spectrometry, *JALA - Journal of the Association for Laboratory Automation*, 13, 2008, 330-334.

**B. Nikolova-Damyanova, Lipid Analysis by Silver Ion chromatography, in: R.O. Adlof (Ed.), Advances in Lipid Methodology, vol. 5, P.J. Barnes & Associates, Bridgwater, UK, 2003, p. 43-.**

652. R. Adlof, G. List, Analysis of triglyceride isomers by silver-ion high-performance liquid chromatography Effect of column temperature on retention times *Journal of Chromatography A*, 1046 (2004) 109–113.
653. Voogt, J.N., Blanch, H.W., Separation of polyunsaturated fatty acids by selective inclusion in guanidinium-1,5-naphthalenedisulfonate-2-methoxyethanol host networks, *Biotechnology and Bioengineering* Volume 92, Issue 5, 5 December 2005, Pages 532-540.
654. Compton, D.L., Laszlo, J.A., Berhow, M.A., Identification and quantification of feruloylated mono-, Di-, and triacylglycerols from vegetable oils, *JAOCS, Journal of the American Oil Chemists' Society*, Volume 83, Issue 9, September 2006, Pages 753-758.
655. Adlof R., Analysis of triacylglycerol and fatty acid isomers by low-temperature silver-ion high performance liquid chromatography with acetonitrile, in hexane as solvent: Limitations of the methodology, *Journal of Chromatography A*, 1148 (2007) 256–259.
656. Rezanka, T., Sigler, K., The use of atmospheric pressure chemical ionization mass spectrometry with high performance liquid chromatography and other separation techniques for identification of triacylglycerols, *Current Analytical Chemistry* Volume 3, Issue 4, October 2007, Pages 252-271.
657. Christie, W.W., Dobson, G., Adlof, R.O., A practical guide to the isolation, analysis and identification of conjugated linoleic acid, *Lipids* Volume 42, Issue 12, December 2007, Pages 1073-1084.
658. El Kadib, Abdelkrim, Castel, Annie, Delpech, Fabien, Riviere, Pierre, A Silylation of triacylglycerol: an easy route to new biosiloxanes *CHEMISTRY AND PHYSICS OF LIPIDS* 148 (2): 112-120 AUG 2007
659. Leskinen, H., Suomela, J.-P., Pinta, J., Kallio, H., Regioisomeric structure determination of  $\alpha$ - and  $\gamma$ -linolenoyldilinoleoylglycerol in blackcurrant seed oil by silver ion high-performance liquid chromatography and mass spectrometry, *Analytical Chemistry* Volume 80, Issue 15, 1 August 2008, Pages 5788-5793

**Jham, G.N., Velikova, R., Vidal Muller, H., Nikolova-Damyanova, B., Cecon, P.R., Lipid classes and triacylglycerols in coffee samples from Brazil: Effects of coffee type and drying procedures (2001) Food Research International, 34 (2-3), pp. 111-115.**

660. Cízková, H., Soukupová, V., Voldrich, M., Sevcík, R., Differentiation of coffee varieties according to their sterolic profile, *Journal of Food and Nutrition Research*, Volume 46, Issue 1, 2007, Pages 28-34
661. Patui, S., Peresson, C., Braidot, E., Tubaro, F., Colussi, A., Bonnländer, B., Macrì, F., Vianello, A., Lipoxygenase distribution in coffee (*Coffea arabica* L.) berries, *Journal of Agricultural and Food Chemistry*, **55** (2007) pp. 8223-8230.
662. Amorim, A. C. L. Hovell, A. M. C. Pinto, A. C. Eberlin, M. N. Arruda, N. P. Pereira, E. J. Bizzo, H. R. Catharino, R. R. Morais Filho, Z. B. Rezende, C. M., Green and roasted Arabica coffees differentiated by ripeness, process and cup quality via electrospray ionization mass spectrometry fingerprinting, *Journal of the Brazilian Chemical Society*, **20** (2009) 2 313-321.

663. Ruiz-Rodriguez, A.Reglero, G.Ibañez, E., Recent trends in the advanced analysis of bioactive fatty acids, *Journal of Pharmaceutical and Biomedical Analysis*, 51, Issue 2, 2010, 305-326.
664. Borém, F.M.Coradi, P.C., Saath, R. Oliveira, J.A., Quality of natural and washed coffee after drying on ground and with high temperature, *Ciencia e Agrotecnologia* 32, Issue 5, 2008, 609-1615.

**G.N. Jham, B. Nikolova-Damyanova, M.Viera, R.Natalino, A.C.Rodrigues, Determination of the triacylglycerol composition of coffee beans by reversed-phase high performance liquid chromatography, *Phytochem. Analysis*, 14 (2003) 310-314**

665. Malone M., J.J.Evans, Determining the relative amount of positional isomers in complex mixtures of triglycerides using reversed phase high performance liquid chromatography-tandem mass spectrometry, *Lipids*, 39 (2004) 273-284.

**B.Nikolova-Damyanova, R.Velikova, L.Kuleva, Quantitative TLC for determination of triacylglycerols composition of sesame seeds, *J. Liq. Chromatogr.&Rel. Technol.*, 25 (2002) 1623-1632.**

666. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, 106 (2004) 621-648.
667. Unal MK, Yalcin H, Proximate composition of Turkish sesame seeds and characterization of their oils, *GRASAS Y ACEITES*, 59, (1) 23-26 (2008).

**S.Momchilova, B. Nikolova-Damyanova, Stationary phases for silver ion chromatography of lipids: Preparation and properties, *J. Sep. Sci.*, 26 (2003) 261-270.**

668. Buchgraber M., F. Ulberth, H. Emons. E. Anklam, Triacylglycerol profiling by using chromatographic techniques, *Eur. J. Lipid Sci. Technol.*, 106 (2004) 621-648.
669. J. Sherma, Planar Chromatography, *Anal. Chem.*, 76/12 (2004), 3251-3261.
670. Y. Wu, Retention mechanism studies on packed column supercritical fluid chromatography (pSFC) and related unified chromatography techniques, *J. Liq. Chromatogr. & Rel. Technol.*, 27/7-9 (2004), 1203-1236.
671. Thompson, R.Q. , Phinney, K.W. , Sander, L.C. , Welch, M.J., Reversed-phase liquid chromatography and argentation chromatography of the minor capsaicinoids, *Analytical and Bioanalytical Chemistry*, Volume 381, Issue 7, April 2005, Pages 1432-1440
672. Ghebreyessus, K.Y., Ellern, A., Angelici, R.J., Equilibrium studies of the binding of unsaturated fatty acid methyl esters to palladium(II), *Organometallics*, Volume 24, Issue 7, 28 March 2005, Pages 1725-1736
673. Dugo, P., Favoino, O., Tranchida, P.Q. , Dugo, G. , Mondello, L., Off-line coupling of non-aqueous reversed-phase and silver ion high-performance liquid chromatography-mass spectrometry for the characterization of rice oil triacylglycerol positional isomers, *Journal of Chromatography A* Volume 1041, Issue 1-2, 2 July 2004, Pages 135-142
674. Mondello, L. , Tranchida, P.Q. , Stanek, V. , Jandera, P. , Dugo, G. , Dugo, P., Silver-ion reversed-phase comprehensive two-dimensional liquid chromatography combined with mass spectrometric detection in lipidic food analysis, *Journal of Chromatography A*, Volume 1086, Issue 1-2, 9 September 2005, Pages 91-98
675. Jarusiewicz, J., Sherma, J., Fried, B., Separation of sterols by reversed phase and argentation thin layer chromatography. Their identification in snail bodies, *Journal of Liquid Chromatography and Related Technologies* Volume 28, Issue 16, 2005, Pages 2607-2617.

676. Christian Rack, Suche nach pflanzlichen Thrombininhibitoren -Gerbstoffe und Fettsäuren im Fokus, Dissertation, Philipps-Universität Marburg, Marburg/Lahn 2005.
677. David B. Hedrick, Aaron Peacock and David C. White, Interpretation of Fatty Acid Profiles of Soil Microorganisms, in *Monitoring and Assessing Soil Bioremediation*, Springer Berlin Heidelberg 2005 251-259.
678. Song Peng, Thin-layer chromatography combined with diode laser induced desorption/atmospheric pressure chemical ionization mass spectrometry, dissertation Dortmund 2005
679. Kishore Sripada, Metal Ion Containing Liquid Chromatographic Stationary Phases for the Analysis of Polycyclic Aromatic Sulfur Heterocycles in Fossil Fuels *Dissertation*, Mathematisch-Naturwissenschaftlichen Fakultät, der Westfälischen Wilhelms-Universität Münster, 2005.
680. Rezanka, T., Sigler, K., The use of atmospheric pressure chemical ionization mass spectrometry with high performance liquid chromatography and other separation techniques for identification of triacylglycerols, *Current Analytical Chemistry* Volume 3, Issue 4, October 2007, Pages 252-271.
681. Van der Klift, E.J.C., Vivo-Truyols, G., Claassen, F.W., van Holthoon, F.L., van Beek, T.A., Comprehensive two-dimensional liquid chromatography with ultraviolet, evaporative light scattering and mass spectrometric detection of triacylglycerols in corn oil, *Journal of Chromatography A* 1178/1-2 (2008), 43-55.
682. Delmonte P. J.K.G.Kramer, M.P.Yurawecz, Analysis of trans 18:1 fatty acids by Ag-HPLC, in *Lipid Analysis and Lipidomics*, ed. MM. Mossoba, J.K.G.Kramer, J.T.Brenna, R.E.McDonald, Published 2006 AOCS Press, pp 191-204.
683. Ronda, S.R., Lele, S., Argentated silica gel chromatography for separation of  $\gamma$ -linolenic acid from microalgae, *Biosciences Biotechnology Research Asia* 4, 2, 2007 621-626.
684. Sovova H, Lisa M, Holcapek M, Estimation of stereospecific fatty acid distribution in vegetable oils from liquid chromatography data, Source: *EUROPEAN JOURNAL OF LIPID SCIENCE AND* 110 (3) 266-276 (2008).
685. Zhang, F., Chu, X., Wang, X., Yang, M., Ling, Y., Sun, L., Li, X., Yong, W., Preparative argentation reversed-phase high performance liquid chromatography, *Journal of Chromatography A*, 1213 (2) 2008 pp. 176-180.
686. Park YS, Little RD, Redox electron-transfer reactions: Electrochemically mediated rearrangement, mechanism, and a total synthesis of daucene, *J. Org. Chem.*, 73 (2008) 6807-6815.
687. Reid, C. W., Szymanski, C. M., Stupak, J., Li, J. J., Analysis of Bacterial Lipid-Linked Oligosaccharide Intermediates Using Porous Graphitic Carbon Liquid Chromatography-Electrospray Ionization Mass Spectrometry: Heterogeneity in the Polyisoprenyl Carrier Revealed, *Analytical Chemistry*, 81, (20) 8472-8478 (2009).
688. Levandovskiy IA, Shubina TE, Fokin AA, Computational and QSAR study of the alkylnaphthyl ketones adsorption on silver-ion stationary phase, *JOURNAL OF MOLECULAR MODELING*, 16 (3) 513-522 (2010)

**B.Damyanova, Sv.Momtchilova, Sn.Bakalova, Han Zuilhof, W.W.Christie and J.Kaneti, J. Mol. Structure: Theochem, 589-590 (2002), 239-249.**

689. V.N. Rodionov, B.V. Chernyaev, I.A. Levandovskii, T.E. Shubina, A.A.Fokin, Quantum-chemical interpretation of the reorientation of dialkyl-cis-9,10-dihydroanthracene-9,10-endofumarates on a silver-containing stationary phase, *Theoretical and Experimental Chemistry*, 41 (1) (2005), 1-6.

690. N.I. Petkova, R.D. Nikolova, A.G. Bojilova, G.N. Vayssilov, Influence of BH<sub>3</sub> and alkaline cation released from the reduction agent on a tandem reduction/acylation reaction - A computational study, *Intern. J. Quant. Chem.*, 107 (8) (2007), 1814-1825.
691. Zhang, Guozhen, Li, Zhen Hua, Wang, Wen-Ning, Fan, Kang-Nian), Decomposition of CH<sub>2</sub>O by lanthanum: A theoretical study, *JOURNAL OF PHYSICAL CHEMISTRY A* 111 (46): 11894-11903 NOV 22 2007
692. Visikolcz, Bela, Szori, Milan, Izsak, Robert, Fejer, Szilard N., Csizmadia, Thermodynamic functions of conformational changes, Part IV: Functional analysis of conformational entropy of substituted ethane and methanol, *INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY* 107 (8): 1826-1827 JUL 2007.
693. Xu, T., Pan, J., Zhao, L., Simultaneous determination of four andrographolides in *Andrographis paniculata* Nees by silver ion reversed-phase high-performance liquid chromatography, *Journal of Chromatographic Science*, 2008 46 (8), pp. 747-750.
694. Lykakis, I.N., Ferreri, C., Grabovskiy, S.A., Chatgililoglu, C., Separation of cis/trans geometrical fatty acid isomers by silver-exchanged zeolite Y, *Tetrahedron*, 66 (12) 2010, 2203-2209.
695. Levandovskiy IA, Shubina TE, Fokin AA, Computational and QSAR study of the alkylnaphthyl ketones adsorption on silver-ion stationary phase, *JOURNAL OF MOLECULAR MODELING*, 16 (3) 513-522 (2010)

**Svetlana Momchilova, Koichiro Tsuji, Yutaka Itabashi\*, Boryana Nikolova-Damyanova, Arnis Kuksis, *Journal of Separation Science*, 27, (12), 1033 – 1036 (2004).**

696. J.-T.Lin and Th. A. McKeon, Separation of the intact molecular species of acylglycerols by HPLC, in HPLC of Acyl Lipids, J.-T.Lin and Th. A. McKeon, eds., HNB Publishing, 2005, pp. 199-220.
697. Sovova H, Lisa M, Holcapek M, Estimation of stereospecific fatty acid distribution in vegetable oils from liquid chromatography data, **Source: *EUROPEAN JOURNAL OF LIPID SCIENCE AND TECHNOLOGY*, 110,(3) 2008, 266-276.**
698. Lisa, M., Holcapek, M. Triacylglycerols profiling in plant oils important in food industry, dietetics and cosmetics using high-performance liquid chromatography-atmospheric pressure chemical ionization mass spectrometry, *Journal of Chromatography A*, 1198-1199, Issue 1-2, 11 July 2008, Pages 115-130.
699. Kuroda I, Nagai T, Mizobe H, et al., HPLC separation of triacylglycerol positional isomers on a polymeric ODS column, *ANALYTICAL SCIENCES*, 24 (7) 865-869 2008
700. Lisa, M., Velínská, H., Holcapek, M., Regioisomeric characterization of triacylglycerols using silver-ion HPLC/MS and randomization synthesis of standards, *Analytical Chemistry*, 81 (10) pp. 3903-3910 (2009).
701. Lisa, M., Holcapek, M., Sovová, H., Comparison of various types of stationary phases in non-aqueous reversed-phase high-performance liquid chromatography-mass spectrometry of glycerolipids in blackcurrant oil and its enzymatic hydrolysis mixture, *Journal of Chromatography A* 1216, 47, 2009, 8371-8378.
702. Holcapek, M., Velínská, H., Lisa, M., Česla, P., Orthogonality of silver-ion and non-aqueous reversed-phase HPLC/MS in the analysis of complex natural mixtures of triacylglycerols, *Journal of Separation Science*, 32 (21), 2009, 3672-3680.
703. Řezanka, T., Schreiberová, O., Krulikovská, T., Masák, J., Sigler, K., RP-HPLC/MS-APCI analysis of odd-chain TAGs from *Rhodococcus erythropolis* including some regioisomers, *Chemistry and Physics of Lipids*, 163 (4-5), pp. 373-380.

**Popova, M., Bankova, V., Butovska, D., Petkov, V., Nikolova-Damyanova, B., Sabatini, A.G., Marcazzan, G.L., Bogdanov, S., Validated methods for the quantification of biologically active constituents of poplar-type propolis, (2004) *Phytochemical Analysis*, 15 (4), pp. 235-340.**

704. da Silva, J.F.M., de Souza, M.C., Matta, S.R., de Andrade, M.R., Vidal, F.V.N., Correlation analysis between phenolic levels of Brazilian propolis extracts and their antimicrobial and antioxidant activities, *Food Chemistry* Volume 99, Issue 3, 2006, Pages 431-435
705. Gómez-Caravaca, A.M., Gómez-Romero, M., Arráez-Román, D., Segura-Carretero, A., Fernández-Gutiérrez, A., Advances in the analysis of phenolic compounds in products derived from bees, *Journal of Pharmaceutical and Biomedical Analysis*, Volume 41, Issue 4, 16 June 2006, Pages 1220-1234.
706. Watson, D.G., Peyfoon, E., Zheng, L., Lu, D., Seidel, V., Jonhston, B., Parkinson, J.A., Fearnley, J., Application of principal components analysis to <sup>1</sup>H-NMR data obtained from propolis samples of different geographical origin, *Phytochemical Analysis*, **17**, (5) S 2006, 323-331.
707. Orsolić, N., Benković, V., Horvat-Knezević, A., Kopjar, N., Kosalec, I., Bakmaz, M., Mihaljević, Z., Bendelja, K., Basić, I., Assessment by survival analysis of the radioprotective properties of propolis and its polyphenolic compounds, *Biological and Pharmaceutical Bulletin* **30**, 5, 2007, 946-951
708. Benkovic, V., Horvat Knezevic, A., Brozovic, G., Knezevic, F., Dikic, D., Bevanda, M., Basic, I., Orsolice, N., Enhanced antitumor activity of irinotecan combined with propolis and its polyphenolic compounds on Ehrlich ascites tumor in mice, *Biomedicine and Pharmacotherapy* Volume 61, Issue 5, June 2007, Pages 292-297
709. Dvorská, M., Zemlicka, M., Muselík, J., Karafiátová, J., Suchý, V., Antioxidant activity of *Catalpa bignonioides*, *Fitoterapia* **78**, 6, 2007, 437-439.
710. Cvek, J., Medić-Sarić, M., Jasprica, I., Zubčić, S., Vitali, D., Mornar, A., Vedinara-Dragojević, I., Tomić, S., Optimisation of an extraction procedure and chemical characterisation of Croatian propolis tinctures, *Phytochemical Analysis*, **18** (5) pp. 451-459 2007.
711. Velazquez, C., Navarro, M., Acosta, A., Angulo, A., Dominguez, Z., Robles, R., Robles-Zepeda, R., Lugo, E., Goycoolea, F.M., Velazquez, E.F., Astiazaran, H., Hernandez, J., Antibacterial and free-radical scavenging activities of Sonoran propolis, *Journal of Applied Microbiology*, **103** (5) pp. 1747-1756 (2007).
712. Xi, J., Shouqin, Z., Antioxidant activity of ethanolic extracts of propolis by high hydrostatic pressure extraction, *International Journal of Food Science and Technology*, **42** (11) pp. 1350-1356 (2007).
713. Ivanauskas L, Jakstas V, Radusiene J, Lukosius A, Baranauskas A, Evaluation of phenolic acids and phenylpropanoids in the crude drugs, *MEDICINA-LITHUANIA* **44** 1 48-55 2008.
714. Wu, Y.-W., Sun, S.-Q., Zhao, J., Li, Y., Zhou, Q., Rapid discrimination of extracts of Chinese propolis and poplar buds by FT-IR and 2D IR correlation spectroscopy, *Journal of Molecular Structure*, **883-884** (1-3) pp. 48-54 2008.
715. Benkovic, V., Horvat Knezevic, A., Dikic, D., Lisicic, D., Orsolice, N., Basic, I., Kosalec, I., Kopjar, N., Radioprotective effects of propolis and quercetin in  $\gamma$ -irradiated mice evaluated by the alkaline comet assay, *Phytomedicine*, 2008, **15** (10) pp. 851-858
716. Ramanauskienė, K., Savickas, A., Ivanauskas, L., Kalvenien, Z., Kasparavičienė, G., Banionyte, I., Amšiejus, A., Martirosyan, D.M., Analysis of phenolic acids in propolis

- using the high-performance liquid chromatography technique, *Current Nutrition and Food Science*, **4** (3), 2008, pp. 209-212.
717. Oršolić, N., Štajcar, D., Bašić, I., Propolis and its flavonoid compounds cause cytotoxicity on human urinary bladder transitional cell carcinoma in primary culture *Periodicum Biologorum*, **111** (1) pp. 113-121.
718. Syamsudin, Dewi, R.M., Kusmardi, Immunomodulatory and in vivo antiplasmodial activities of propolis extracts, *American Journal of Pharmacology and Toxicology*, **4**, 3, 2009, 75-79.
719. Ramanauskiene K Savickas A, Inkeniene A, Vitkevicius K Kasparaviciene G , Briedis V, Amsiejus A Analysis of content of phenolic acids in Lithuanian propolis using high-performance liquid chromatography technique, *MEDICINA-LITHUANIA* **45**, (9) 712-717 2009
720. Alberto MR Zampini IC, Isla MI, Inhibition of cyclooxygenase activity by standardized hydroalcoholic extracts of four Asteraceae species from the Argentine Puna. *BRAZILIAN JOURNAL OF MEDICAL AND BIOLOGICAL RESEARCH*, **42** (9) 787-790, 2009.
721. Xu, Y., Luo, L., Chen, B., Fu, Y. Recent development of chemical components in propolis, *Frontiers of Biology in China*, **4**, (4) 2009, 385-391.
722. Falcão, S.I., Vilas-Boas, M., Estevinho, L.M., Barros, C., Domingues, M.R.M., Cardoso, S.M., Phenolic characterization of Northeast Portuguese propolis: Usual and unusual compounds, *Analytical and Bioanalytical Chemistry*, **396** (2) 2009 887-897.

**Christova, N., Tuleva, B., Nikolova-Damyanova, B. Enhanced hydrocarbon biodegradation by a newly isolated Bacillus subtilis strain (2004) Zeitschrift fur Naturforschung - Section C Journal of Biosciences, 59 (3-4), pp. 205-208.**

723. Das Neves, L.C.M., Ohara Miyamura, T.T.M., Moraes, D.A., Vessoni Penna, T.C., Converti, A., Biofiltration methods for the removal of phenolic residues, *Applied Biochemistry and Biotechnology* **129**, 1-3, 2006, 130-152.
724. Patel, R.K., Oza, S.M., Bhimani, H.G., Rawal, C.M., Influence of gum Arabic on biodegradation of diesel fuel by marine isolates from coastal region of Gujarat, India, *Pollution Research*, **25**, 1, 2006, 197-200.

**Tuleva, B., Christova, N., Jordanov, B., Nikolova-Damyanova, B., Petrov, P. Naphthalene degradation and biosurfactant activity by Bacillus cereus 28BN (2005) Zeitschrift fur Naturforschung - Section C Journal of Biosciences, 60 (7-8), pp. 577-582.**

725. Matafonova, G. , Shirapova, G., Zimmer, C., Giffhorn, F., Batoev, V., Kohring, G.-W. Degradation of 2,4-dichlorophenol by Bacillus sp. isolated from an aeration pond in the Baikalsk pulp and paper mill (Russia), *International Biodeterioration and Biodegradation* **58**, 3-4, 2006, 209-212.
726. Phale, P.S., Basu, A., Majhi, P.D., Deveryshetty, J., Vamsee-Krishna, C., Shrivastava, R., Metabolic diversity in bacterial degradation of aromatic compounds, *OMICS A Journal of Integrative Biology* **11** (3), pp. 252-279, 2007.
727. Phale, P.S., Basu, A., Majhi, P.D., Deveryshetty, J., Vamsee-Krishna, C., Shrivastava, R., Metabolic diversity in bacterial degradation of aromatic compounds, 2007, *OMICS A Journal of Integrative Biology*, **11** (3) pp. 252-279.
728. Al-Thani, R.F., Abd-El-Haleem, D.A.M., Al-Shammri, M., Isolation, biochemical and molecular characterization of 2-chlorophenol-degrading Bacillus isolates, *African Journal of Biotechnology* **6**, (23) 3 2007, 2675-2681.

729. Hong, X., Zhang, X., Meng, Z., Lin, Z., Liu, B., Zhu, C., Zhao, L., Isolation and characteristics of quinoline degrading bacteria from wastewater denitrifying bioreactor, *Chinese Journal of Applied and Environmental Biology*, 2008, **14** (6) pp. 803-808.

**Jham, G.N., Velikova, R., Nikolova-Damyavova, B., Rabelo, S.C., Teixeira Da Silva, J.C., De Paula Souza, K.A., Moreira Valente, V.M, Cecon, P.R., Preparative silver ion TLC/RP-HPLC determination of coffee triacylglycerol molecular species, *Food Research International*, 38 (2), pp. 121-126 (2005).**

730. Yoshida, H., Tomiyama, Y., Tanaka, M., Mizushima, Y., Characteristic profiles of lipid classes, fatty acids and triacylglycerol molecular species of peas (*Pisum sativum* L.) *European Journal of Lipid Science and Technology* **109** (6), pp. 600-607 (2007)
731. Sherma, J., Planar chromatography, *Analytical Chemistry* **78** (12), pp. 3841-3852(2005)

**Dimov, N., Chervenкова, K., Nikolova-Damyanova, B., Retention of iridoid glucosides on octadecylsilane and diol columns (2000) *Journal of Liquid Chromatography and Related Technologies*, 23 (6), pp. 935-947.**

732. Héberger, K., Quantitative structure-(chromatographic) retention relationships, *Journal of Chromatography A* **1158**, 1-2, 2007, 273-305

**Nedeltsheva, D., Damyanova, B., Popov, S. Gas phase tautomerism of tautomeric azo naphthols and related Schiff bases studied by mass spectrometry (2005) *Journal of Molecular Structure*, 749 (1-3), 36-44.**

733. Aslantaş, M., Kurtölu, N., Şahin, E., Kurtölu, M., 4-[(E)-Phenyl-diazen-yl]-2-[(E)-phenyl-imino-meth-yl]phenol, *Acta Crystallographica Section E: Structure Reports Online* **63**, 8, 2007, 3637
734. Liu, X.-G., Feng, Y.-Q., Zhao, Y., Chen, H.-L., Li, X.-G. Synthesis, characterization and spectroscopic investigation of azo-porphyrins, *Dyes and Pigments*, **75**, 2, 2007, 413-419.
735. Fakhraian, H. Nafary, Y. Chalabi, H., Study of cis-trans stereochemistry of 2-(2-chlorobenzylideneamino) phenol and 2-(2-chlorophenyl imino)methyl)phenol (Schiff bases) by GC and GC-MS spectrometry, *Research on Chemical Intermediates*, **35** 2009 555-562.

**Nikolova N, Rezanka T, Nikolova-Damyanova B, Fatty acid profiles of main lipid classes in adult *Chrysomela vigintipunctata* (Scopoli) (Coleoptera : Chrysomelidae), *ZEITSCHRIFT FUR NATURFORSCHUNG C-A JOURNAL OF BIOSCIENCES* 55 (7-8): 661-666 2000**

736. Cakmak O, Bashan M, Bolu H., The fatty acid compositions of predator *Picoris luridus* (Heteroptera : Lygaeidae) and its host *Monosteria unicostata* (Heteroptera : Tingidae) reared on almond, *INSECT SCIENCE* **14** (6): 461-466 DEC 2007
737. Fletcher, M.T., Allsopp, P.G., McGrath, M.J, Chow, S., Gallagher, O.P., Hull, C., Cribb, B.W., Moore, C.J., Kitching, W., Diverse cuticular hydrocarbons from Australian canebeetles (Coleoptera: Scarabaeidae), *Australian Journal of Entomology* **47**, 2, 2008, 153-159.
738. Cakmak, O. Bashan, M. Satar, A., COMPARISON OF TOTAL LIPID AND FATTY ACID COMPOSITIONS OF WHOLE-BODY AND BODY SEGMENTS OF *LERTHA EXTENSA* ADULTS (NEUROPTERA: NEMOPTERIDAE), *Texas Journal of Science*, **61** 2009 45-60

739. Geiselhardt S, Otte T, Hilker M, The Role of Cuticular Hydrocarbons in Male Mating Behavior of the Mustard Leaf Beetle, *Phaedon cochleariae* (F.), *JOURNAL OF CHEMICAL ECOLOGY* **35** 10 1162 2009

**Momchilova S, Itabashi Y, Nikolova-Damyanova B, Kuksis A, Regioselective separation of isomeric triacylglycerols by reversed-phase high-performance liquid chromatography: Stationary phase and mobile phase effects, *JOURNAL OF SEPARATION SCIENCE*, 29, 17, 2578-2583, 2006.**

740. Sovova H, Lisa M, Holcapek M, Estimation of stereospecific fatty acid distribution in vegetable oils from liquid chromatography data, *EUROPEAN JOURNAL OF LIPID SCIENCE AND TECHNOLOGY*, 110, 3 266-276, 2008.
741. Kuroda I, Nagai T, Mizobe H, et al., HPLC separation of triacylglycerol positional isomers on a polymeric ODS column, *ANALYTICAL SCIENCES* **24** 865-869 2008.
742. Lisa, M., Velínská, H., Holčapek, M., Regioisomeric characterization of triacylglycerols using silver-ion HPLC/MS and randomization synthesis of standards, *Analytical Chemistry*, **81** (10) pp. 3903-3910 (2009).
743. Lisa, M., Holčapek, M., Sovová, H., Comparison of various types of stationary phases in non-aqueous reversed-phase high-performance liquid chromatography-mass spectrometry of glycerolipids in blackcurrant oil and its enzymatic hydrolysis mixture, *Journal of Chromatography A* 1216, Issue **47**, 2009, 8371-8378.
744. Holčapek, M., Velínská, H., Lisa, M., Česla, P., Orthogonality of silver-ion and non-aqueous reversed-phase HPLC/MS in the analysis of complex natural mixtures of triacylglycerols, *Journal of Separation Science*, **32** (21), 2009, 3672-3680.
745. Reid, C.W., Stupak, J., Szymanski, C.M., Li, J., Analysis of bacterial lipid-linked oligosaccharide intermediates using porous graphitic carbon liquid chromatography-electrospray ionization mass spectrometry: Heterogeneity in the polyisoprenyl carrier reveal, *Analytical Chemistry* **81** (20) 2009, 8472-8478
746. Gotoh, N., Matsumoto, Y., Yuji, H., Nagai, T., Mizobe, H., Ichioka, K., Kuroda, I., Noguchi, N. Wada, S., Characterization of non-encapped polymeric ODS column for the separation of triacylglycerol positional isomers, *Journal of Oleo Science* **59** 2010 (2), 71-79
747. Lévêque, N.L., Héron, S., Tchaplá, A., Regioisomer characterization of triacylglycerols by non-aqueous reversed-phase liquid chromatography/electrospray ionization mass spectrometry using silver nitrate as a post column reagent, *Journal of Mass Spectrometry*, **45** (3), 2010, pp. 284-296
748. Řezanka, T., Schreiberová, O., Kruliková, T., Masák, J., Sigler, K., RP-HPLC/MS-APCI analysis of odd-chain TAGs from *Rhodococcus erythropolis* including some regioisomers, *Chemistry and Physics of Lipids*, **163** (4-5), 2010, pp. 373-380

**Nedelcheva, D., Antonova, D., Tsvetkova, S., Marekov, I., Momchilova, S., Nikolova-Damyanova, B., Gvosheva, M. TLC and GC-MS probes into the fatty acid composition of some Lycoperdaceae mushrooms (2007) *Journal of Liquid Chromatography and Related Technologies*, 30 (18), pp. 2717-2727**

749. Kalač, P. Chemical composition and nutritional value of European species of wild growing mushrooms: A review, *Food Chemistry* **113**, 1, 2009, 9-16.
750. Coetzee, J.C., Van Wyk, A.E., The genus *Calvatia* ('Gasteromycetes', Lycoperdaceae): A review of its ethnomycology and biotechnological potential, *African Journal of Biotechnology*, **8** (22), 6007-6015, 2009.

**DAMYANOVA, B.N. Lipid Analysis by Thin-Layer Chromatography (2002) Encyclopedia of Chromatography Edited by: Jack Cazes Marcel Dekker Inc. New York, USA**

751. Bölükbaşı, Ş.C., Erhan, M.K., Kaynar, Ö. The effect of feeding thyme, sage and rosemary oil on laying hen performance, cholesterol and some proteins ratio of egg yolk and Escherichia coli count in feces, *Archiv für Geflügelkunde*, **72** (5), 2008, pp. 231-237.
752. Bölükbaşı, Ş.C. Kaynar, Ö, Erhan, M.K., Ürüan, H., Effect of feeding Nigella sativa oil on laying hen performance, cholesterol and some proteins ratio of egg yolk and Escherichia coli count in feces, *Archiv für Geflügelkunde* **73** 3, 2009, 167-172.

**Momchilova, S., Nikolova-Damyanova, B., Quantitative TLC and gas chromatography determination of the lipid composition of raw and microwaved roasted walnuts, hazelnuts, and almonds, (2007) Journal of Liquid Chromatography and Related Technologies, 30 (15), 2267-2285.**

753. Sathe, S.K., Seeram, N.P., Kshirsagar, H.H., Heber, D., Lapsley, K.A., Fatty acid composition of California grown almonds, *Journal of Food Science* **73**, 9, 2008, C607-C614.
754. Bail S, Stuebiger G, Unterweger H, Buchbauer G, Krist S, Characterization of volatile compounds and triacylglycerol profiles of nut oils using SPME-GC-MS and MALDI-TOF-MS, *EUROPEAN JOURNAL OF LIPID SCIENCE AND TECHNOLOGY* **111** 2 170-182 2009.

**B.Nikolova-Damyanova and Sv. Momchilova, Silver ion hplc for the analysis of positionally isomeric fatty acids, J. Ligu. Chromatogr. & Rel. Technol., 25 (2002) 1947-1965.**

755. Mitchell, T.W., Pham, H., Thomas, M.C., Blanksby, S.J., Identification of double bond position in lipids: From GC to OzID, *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **877**, 26, 2009, 2722-2735.
756. Delmonte, P., Kia, A.-R.F., Qing, H., Rader, J.I., Review of methods for preparation and gas chromatographic separation of trans and cis reference fatty acids, *Journal of AOAC International*, **92** (5), 2009, pp. 1310-1326
757. Villegas, C., Zhao, Y., Curtis, J.M., Two methods for the separation of monounsaturated octadecenoic acid isomers, *Journal of Chromatography A*, **1217** (5) pp. 775-784 (2010).
758. Schiesel, S., Lämmerhofer, M., Lindner, W., Quantitative LC-ESI-MS/MS metabolic profiling method for fatty acids and lipophilic metabolites in fermentation broths from  $\beta$ -lactam antibiotics production, *Analytical and Bioanalytical Chemistry*, **397** (1), 2010, pp. 147-160
759. Gassler, N., Klaus, C., Kaemmerer, E., Reinartz, A., Modifier-concept of colorectal carcinogenesis: Lipidomics as a technical tool in pathway analysis *World Journal of Gastroenterology* **16** (15), 2010, pp. 1820-1827.

**B.Nikolova-Damyanova, Retention of lipids in silver ion high-performance liquid chromatography: Facts and assumptions, J. Chromatogr. A, 1216 (2009) 1815–1824.**

760. Ruiz-Rodriguez, A. Reglero, G. Ibañez, E., Recent trends in the advanced analysis of bioactive fatty acids, *Journal of Pharmaceutical and Biomedical Analysis*, **51**, 2, 2010, 305-326.
761. Kuhnt, K., Degen, C., Jahreis, G., 2-Propanol in the mobile phase reduces the time of analysis of CLA isomers by silver ion-HPLC, *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **878** (1) pp. 88-91 (2009).

**N.Nikolova, T.Rezanka, B.Nikolova-Damyanova, P.Kalushkov, hydrocarbons in adult chrysomela vigintipunctata (scopoli) (coleoptera: chrysomelidae), Comparative Biochemistry Physiology, B, 123 (1) (1999) 67-77.**

762. Geiselhardt SF, Geiselhardt S, Peschke K, Comparison of tarsal and cuticular chemistry in the leaf beetle *Gastrophysa viridula* (Coleoptera: Chrysomelidae) and an evaluation of solid-phase microextraction and solvent extraction techniques, *CHEMOECOLOGY* 19 (4) 185-193, 2009.
763. Geiselhardt, S., Otte, T, Hilker, M. The role of cuticular hydrocarbons in male mating behavior of the mustard leaf beetle, *Phaedon cochleariae* (F.), *Journal of Chemical Ecology*, 35, (10), 2009, 1162-1171.

**Sv.Momchilova, B.Nikolova-Damyanova, Silver ion HPLC of p--methoxyphenacyl derivatives of unsaturated fatty acids. III. Mobile phase effects on trans 6--, 9-- and 11--18:1, J. Liq. Chromatogr. & Rel. Technol., 25 (4) (2002) 615-626.**

764. Villegas, C., Zhao, Y., Curtis, J.M., Two methods for the separation of monounsaturated octadecenoic acid isomers, *Journal of Chromatography A*, 1217 (5) pp. 775-784 (2010).

**Sv.Momchilova and B.Nikolova-Damyanova, SILVER ION HIGH-PERFORMANCE LIQUID CHROMATOGRAPHIC SEPARATION OF NATURALLY OCCURRING POSITIONALLY ISOMERIC MONOENOIC FATTY ACIDS AS P-METHOXYPHENACYL ESTERS: MOBILE PHASE EFFECTS, Compt. Rend. Acad. Bulg. Sci., 55 (2002) 47-50**

765. Villegas, C., Zhao, Y., Curtis, J.M., Two methods for the separation of monounsaturated octadecenoic acid isomers, *Journal of Chromatography A*, 1217 (5) pp. 775-784 (2010).

**M.D.Zlatanov, M.J.Angelova-Romova, G.A.Antova, R.D.Dimitrova, S.M.Momchilova, B.M.Nikolova-Damyanova, VARIATIONS IN FATTY ACIDS, PHOSPHOLIPIDS AND STEROLS DURING SEED DEVELOPING OF HIGH OLEIC SUNFLOWER, J. Am. Oil Chem. Soc., (2009) 86:867-875**

766. Pelillo, M., Ferioli, F., Iafelice, G., Marconi, E., Caboni, M.F., Characterisation of the phospholipid fraction of hulled and naked tetraploid and hexaploid wheats, *Journal of Cereal Science*, 51, (1) 2010, 120-126.

**Чобанов, Р.Таранджийска, Б.Дамянова, МЕТОД ЗА ОПРЕДЕЛЯНЕ НА ИЗОМЕРНИ МАСТНИ КИСЕЛИНИ В ЧАСТИЧНО ХИДРОГЕНИРАНИ МАСЛА, Авт.свид. No 38598**

767. И.Горанов, Р.Цанев, *Хигиена и здравеопазване*, 29 (1986) 83
768. К.Лекова, *Anal. Lab.*, 2 (1994) 118-136

**Д.Ранков, Р.Таранджийска, С.Панайотова, Б.Дамянова, Д.Колев, Д.Чобанов, И.Тоцева, МЕТОД ЗА ИЗОЛИРАНЕ НА ЧИСТИ МОНО- И ДИЕСТЕРИ НА МАСТНИ КИСЕЛИНИ С ПОЛИЕТИЛЕНГЛИКОЛИ, Авт. свид. No 42310.**

769. П.Илинов, *Тънкослойна хроматография*, Наука и Изкуство, София, 1988, стр. 30.